

# LA PROGRAMMATION

## DES FICHIERS

### WORD

## EN LOTUS SCRIPT



**Cette création est mise à disposition selon le Contrat Paternité**

- **Pas d'Utilisation Commerciale**
- **Pas de Modification disponible en ligne**

<http://creativecommons.org/licenses/by-nc-nd/2.0/fr/>

**ou par courrier postal à Creative Commons, 559 Nathan Abbott Way,  
Stanford, California 94305, USA.**

---

## GENERER DES DOCUMENTS WORD

---

### CREATION D'UNE SESSION WORD

Lotus Script dispose de deux instructions permettant d'instancier un objet OLE :

- CreateObject
- GetObjet

Dans le manuel "Gestion des fichiers Excel en Lotus Script" nous avons créé une session Excel directement par la fonction CreateObjet.

Nous pouvons également y parvenir par GetObjet afin de récupérer éventuellement une session Word existante. Si la session Word n'existe pas, on procédera alors à la création de l'objet par CreateObjet.

#### **Private WApp As Variant**

#### **Private Function CreateSession() As Variant**

```
On Error Goto CreateSession
```

```
'// On tente de récupérer une session existante
```

```
'// Si aucune session on l'instancie sur une génération d'erreur
```

```
Set WApp = GetObjet("", "Word.Application")
```

```
CreateSessionOk:
```

```
    Call initSession
```

```
    Exit Function
```

```
CreateSession:
```

```
    Err = 0
```

```
    Print "Création de la session MS Word"
```

```
    '// Création de la session Word
```

```
    Set WApp = CreateObject("Word.Application")
```

```
    '// Si impossible de la créer on force l'erreur
```

```
    If WApp Is Nothing Then
```

```
        Error 9999,"Impossible d'initialiser la session MS
```

```
Word"
```

```
        Resume EndCreationSession
```

```
    End If
```

```
    Print "Session MS Word initialisée "
```

```
    '// On sort proprement pour initialiser les objets
```

```
    Resume CreateSessionOK
```

```
EndCreationSession:
```

```
End Function
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

En cas de succès nous pouvons initialiser les objets Word nécessaires au traitement du document :

```
Private Documents As Variant
Private Document As Variant
Private ActiveDocument As Variant
Private Selection As Variant
Private Sub initSession
WApp.Documents.Add
Set Documents=WApp.Documents
Set Document=Documents(1)
Set ActiveDocument=WApp.ActiveDocument
Set Selection=WApp.Selection
```

---

### FERMETURE D'UNE SESSION

```
Sub QuitSession
    On Error Goto CreateSession
    Set WApp = GetObject("", "Word.Application")
ExistSessionOK:
    WApp.Quit
    Print "Session MS Word terminée"
    Exit Sub
CreateSession:
    Err = 0
    WApp = CreateObject("Word.Application")
    If WApp Is Nothing Then
        Error 9999,"Impossible d'initialiser la session MS Word"
        Resume EndCloseSession
    End If
    Resume ExistSessionOK
EndClosesession:
End Sub
```

---

### REGROUPEMENT DES METHODES ET PROPRIETES NECESSAIRES DANS UNE CLASSE LS

Afin de pouvoir exploiter facilement l'objet Word créé vous trouverez ci-dessous une classe dotée de quelques méthodes. Vous pourrez la compléter à votre aise.

☞ Pour retrouver une fonction ou méthode Word il est fortement conseillé d'activer l'enregistreur de macros sous Word. Il suffit ensuite de le convertir en Lotus Script.

#### **ClassWord**

#### **Option Public**

#### **Use "WORDCONST"**

```
Public Class WordSession
```

```
    Private WApp As Variant
```

```
    Private Documents As Variant
```

```
    Private Document As Variant
```

```
    Private ActiveDocument As Variant
```

```
    Private Selection As Variant
```

```
    Private LastParagraph As Variant
```

```
    Private NewRangeStart As Long
```

```
    '//-----
```

```
    '// Constructeur
```

```
    '//-----
```

```
Sub new
```

```
    Call CreateSession()
```

```
End Sub
```

```
    '//-----
```

```
    '// Accès aux propriétés
```

```
    '//-----
```

```
Function getSelection() As Variant
```

```
    getSelection=Selection
```

```
End Function
```

```
Function getDocument() As Variant
```

```
    getDocument=Document
```

```
End Function
```

```
Function getDocuments() As Variant
```

```
    getDocuments=Documents
```

```
End Function
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Function getActiveDocument() As Variant
    getActiveDocument=ActiveDocument
End Function
```

```
Function getApplication() As Variant
    getApplication=WApp
End Function
```

```
'//-----
'// Initialisation des objets nécessaires
'//-----
```

```
Private Sub initSession
    '// Ajout d'un document vierge fondé sur le normal.dot

    WApp.Documents.Add
    Set Documents=WApp.Documents
    Set Document=Documents(1)
    Set ActiveDocument=WApp.ActiveDocument
    Set Selection=WApp.Selection
End Sub
```

```
'//-----
'// Ouverture d'une session MS Word
'//-----
```

```
Private Function CreateSession() As Variant
    On Error Goto CreateSession
    '// On tente de récupérer une session existante
    '// Si aucune session on l'instancie sur une génération
d'erreur

    Set WApp = GetObject("", "Word.Application")
CreateSessionOk:
    Call initSession
    Exit Function
CreateSession:
    Err = 0
    Print "Création de la session MS Word"
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```

    '// Création de la session Word
    Set WApp = CreateObject("Word.Application")
    '// Si impossible de la créer on force l'erreur
    If WApp Is Nothing Then
        Error 9999,"Impossible d'initialiser la session MS
Word"
        Resume EndCreationSession
    End If
    Print "Session MS Word initialisée "
    '// On sort proprement pour initialiser les objets
    Resume CreateSessionOK
EndCreationSession:
End Function

Sub setDisplayAlerts(toggle As Integer)
    WApp.DisplayAlerts=toggle
End Sub

Sub setVisible(toggle As Integer)
    WApp.Visible=toggle
End Sub

'//-----
--
'// Ajout d'un texte
'//-----
---

Sub AppendText(text As String, newline As Integer)
    Selection.TypeText(text)
    If newline Then Selection.TypeParagraph
End Sub

'//-----
'// Nouvelle ligne
'//-----

Sub NewLine(n As Integer)
    Dim i As Integer
    For i=1 To n
        Selection.TypeParagraph
    
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
        Next
    End Sub

'//-----
'// Saut page ou de section
'//-----
Sub InsertBreak(t As Integer)
    Call Selection.InsertBreak(t)
End Sub

'//-----
'// Orientation de la page
'//-----
'// wdOrientLandscape=1
'// wdOrientPortrait=0
Sub Orientation(o As Integer)
    With Selection.PageSetup
        .Orientation = o
    End With
End Sub

'//-----
'// Style de texte
'//-----
Sub Style(sn As Variant)
    Selection.Style = sn
End Sub

'////////////////////
'// liste des couleurs colorIndex
'// wdAuto
'// wdBlack
'// wdBlue
'// wdBrightGreen
'// wdByAuthor
'// wdDarkBlue
'// wdDarkRed
'// wdDarkYellow
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'// wdGray25
'// wdGray50
'// wdGreen
'// wdNoHighlight
'// wdPink
'// wdRed
'// wdTeal
'// wdTurquoise
'// wdViolet
'// wdWhite
'// wdYellow
'////////////////////

'//-----
'// ColorIndex
'//-----
Sub FontColorIndex(color As Integer)
    Selection.Font.ColorIndex = color
End Sub

'//-----
'// Fonte
'//-----
Sub FontName(n As String)
    Selection.Font.Name = n
End Sub

'//-----
'// Taille des caractères
'//-----
Sub FontSize (fz As Integer)
    Selection.Font.Size = fz
End Sub

'//-----
'// Gras
'//-----
Sub FontBold(toggle As Integer)
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
        Selection.Font.Bold = Toggle
End Sub

'//-----
'// Souligné
'//-----
Sub FontUnderline(toggle As Integer)
    'wdUnderlineDashHeavy
    'wdUnderlineDashLongHeavy
    'wdUnderlineDotDashHeavy
    'wdUnderlineDotDotDashHeavy
    'wdUnderlineDottedHeavy
    'wdUnderlineNone
    'wdUnderlineThick
    'wdUnderlineWavyDouble
    'wdUnderlineWords
    'wdUnderlineDash
    'wdUnderlineDashLong
    'wdUnderlineDotDash
    'wdUnderlineDotDotDash
    'wdUnderlineDotted
    'wdUnderlineDouble
    'wdUnderlineSingle
    'wdUnderlineWavy
    'wdUnderlineWavyHeavy
    Selection.Font.Underline = toggle
End Sub

'//-----
'// Italic
'//-----
Sub FontItalic(toggle As Integer)
    Selection.Font.Italic = Toggle
End Sub

'//-----
'// Italic
'//-----
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Sub FontColor(color As Integer)
    Selection.Font.Italic = color
End Sub

'//-----
-
'// Texte dans un paragraphe
'//-----
-

Function AddTextToDoc(text As String) As Variant
    Dim doc As Variant
    Set doc=document
    Set lastParagraph =
doc.Paragraphs(doc.Paragraphs.Count).Range
    newRangeStart = lastParagraph.End-1 ' This is where the
new text will be placed
    Call lastParagraph.InsertAfter(text)
End Function

'//-----
'// Centrage du texte
'//-----

Sub AlignCenterParagraph
    Selection.ParagraphFormat.Alignment =
wdAlignParagraphCenter
End Sub

'//-----
'// Cadrage à droite
'//-----

Sub AlignRightParagraph
    Selection.ParagraphFormat.Alignment =
wdAlignParagraphRight
End Sub

'//-----
'// Cadrage à gauche
'//-----

Sub AlignLeftParagraph
    Selection.ParagraphFormat.Alignment =
wdAlignParagraphLeft
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

End Sub

'//-----

'// Création d'un tableau

'//-----

Sub CreateTable(rows As Integer, cols As Integer)

    Call ActiveDocument.Tables.Add(Selection.Range,rows,cols)

End Sub

'//-----

'// Largeur des d'une colonne d'un tableau

'//-----

Sub SetTableColumnWidth(t As Integer, c As Integer, w As Single)

    Dim table As Variant

    Dim column As Variant

    Set table=ActiveDocument.Tables(t)

    Set column = table.Columns(c)

    column.PreferredWidthType = 3

    column.Width = WApp.CentimetersToPoints(w)

End Sub

'//-----

'// Hauteur d'une ligne d'un tableau

'//-----

Sub SetTableColumnHeight(t As Integer, r As Integer, h As Single)

    'wdRowHeightAtLeast=1

    'wdRowHeightAuto=0

    'wdRowHeightExactly=2

    Dim table As Variant

    Dim row As Variant

    Set table=ActiveDocument.Tables(t)

    Set row = table.Rows(r)

    Row.HeightRule = 2

    Row.Height = WApp.CentimetersToPoints(h)

End Sub

'//////////

'// Unités de déplacement

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'// wdLine
'// wdParagraph
'// wdWindow
'// wdScreen
'// wdCell
'// wdSentence
'// wdSection
'// wdStory
'////////////////////////////////////

'//-----
'// Déplacement à droite
'//-----
Sub MoveRight(u As Integer, n As Integer, e As Integer)
    Call Selection.MoveRight(u,n,e)
End Sub

'//-----
'// Homekey
'//-----
Sub HomeKey(u As Integer,e As Integer)
    Call Selection.HomeKey(u)
End Sub

'//-----
'// EndKey
'//-----
Sub EndKey(u As Integer,e As Integer)
    Call Selection.EndKey(u,e)
End Sub

'//-----
'// Déplacement à gauche
'//-----
Sub MoveLeft(u As Integer,n As Integer,e As Integer)
    Call Selection.MoveLeft(u,n,e)
End Sub
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'//-----  
'// Déplacement vers la fin  
'//-----  
Sub MoveEnd(u As Integer,n As Integer)  
    Call Selection.MoveEnd(u,n)  
End Sub  
  
'//-----  
'// Déplacement vers le début  
'//-----  
Sub MoveStart(u As Integer,n As Integer)  
    Call Selection.MoveStart(u,n)  
End Sub  
  
'//-----  
'// Déplacement vers le bas  
'//-----  
Sub MoveDown(u As Integer,n As Integer,e As Integer)  
    Call Selection.MoveDown(u, n,e)  
End Sub  
  
'//-----  
'// Déplacement vers le haut  
'//-----  
Sub MoveUp(u As Integer,n As Integer,e As Integer)  
    Call Selection.MoveUp(u, n, e)  
End Sub  
  
'//-----  
'// Taquet de tabulation positionné  
'//-----  
Sub TabStop(p As Single)  
    Call  
Selection.ParagraphFormat.TabStops.Add(WApp.CentimetersToPoints(p))  
End Sub  
  
'//-----  
'// Taquet de tabulation effacé  
'//-----
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Sub TabStopClear(p As Single)
    Call
Selection.ParagraphFormat.TabStops(WApp.CentimetersToPoints(2)).Clear
End Sub

'//-----
'// Enregistrement du document
'//-----
Sub saveAs(fn As String)
    Activedocument.SaveAs fn
End Sub

Sub Save
    ActiveDocument.Save
End Sub

'//-----
'// Fermeture d'une session MS Word
'//-----

Sub QuitSession
    On Error Goto CreateSession
    Set WApp = GetObject("", "Word.Application")
ExistSessionOK:
    WApp.Quit
    Print "Session MS Word terminée"
    Exit Sub
CreateSession:
    Err = 0
    WApp = CreateObject("Word.Application")
    If WApp Is Nothing Then
        Error 9999,"Impossible d'initialiser la session MS
Word"
        Resume EndCloseSession
    End If
    Resume ExistSessionOK
EndClosesession:
    End Sub
End Class
```

EXEMPLE D'UTILISATION

Option Public

**Use "ClassWord"**

Sub Initialize

**Dim word As WordSession**

Dim session As New NotesSession

Dim db As NotesDatabase

Dim view As NotesView

Dim doc As notesdocument

'// ---

On Error Goto erreur

Set db = session.Currentdatabase

Set view=db.Getview("By number")

**'// Création de la Session Word**

Set word=New wordsession

**'// Définition titre de la page**

Call word.setVisible(True)

Call word.setDisplayAlerts(False)

Call word.FontBold(True)

Call word.FontItalic(True)

Call word.FontSize(14)

Call word.FontColorIndex(wdBlue)

Call word.FontName("Tahoma")

Call word.FontUnderline(wdUnderlineDouble )

Call word.AlignCenterParagraph

Call word.AppendText("Liste des joueurs",True)

Call word.Style("Normal")

Call word.NewLine(2)

**'// Création d'un tableau 1 ligne, 3 colonnes**

Call word.CreateTable(1,3)

Call word.SetTableColumnWidth(1,1,1)

Call word.SetTableColumnWidth(1,2,10)

Call word.SetTableColumnWidth(1,3,2)

**'// Sélection des 3 cellules**

**'// Mise en forme**

Call word.MoveRight(wdCharacter,3,wdExtend)

Call word.FontBold(True)

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

### '// Titre dans les cellules

```
Call word.FontColorIndex(wdDarkRed)
Call word.AppendText("N°",False)
Call word.MoveRight(wdCell,1,wdMove)
Call word.AppendText("Nom",False)
Call word.MoveRight(wdCell,1,wdMove)
Call word.AppendText("Position",False)
```

### '// Cette action permet d'ajouter directement une ligne

#### '// au tableau

```
Call word.MoveRight(wdCell,1,wdMove)
```

### '// Supprime la mise en forme pour les cellules suivantes

```
Call word.MoveRight(wdCharacter,3,wdExtend)
Call word.FontBold(False)
Call word.FontSize(10)
Call word.FontName("Arial")
Call word.FontColorIndex(wdDarkBlue)
```

### '// Lecture des documents

```
Set doc = view.GetFirstDocument
While Not doc Is Nothing
    Call word.AppendText(Cstr(doc.number(0)),False)
    Call word.MoveRight(wdCell,1,wdMove)
    Call word.AppendText(doc.name(0),False)
    Call word.MoveRight(wdCell,1,wdMove)
    Call word.AppendText(doc.Position(0),False)
    Set doc=view.getnextdocument(doc)
    If Not doc Is Nothing Then Call
word.MoveRight(wdCell,1,wdMove)
Wend
```

### '// On sort du tableau

```
Call word.MoveDown(wdLine,1,wdMove)
Call word.Style("Normal")
Call word.NewLine(1)
```

```
'// =====
```

### '// Présentation avec tabulation

```
'// =====
```

```
Call word.FontBold(True)
Call word.FontItalic(True)
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Call word.FontSize(16)
Call word.FontColorIndex(wdBlue)
Call word.FontName("Verdana")
Call word.FontUnderline(wdUnderlineDouble )
Call word.AlignCenterParagraph
Call word.AppendText("Liste des joueurs",True)
Call word.Style("Normal")
Call word.NewLine(2)
'// Positionne des tabulation
Call word.TabStop(1.5)
Call word.TabStop(11)
'// Mise en forme
Call word.FontBold(True)
Call word.FontColorIndex(wdDarkRed)
Call word.FontUnderline(wdUnderlineDouble )
Call word.FontName("Tahoma")
'// Ecriture de la ligne
'// La touché TAB est représentée par chr$(9)
Call word.AppendText("N°" & Chr$(9) & "Nom" & Chr$(9) &
"Position",True)
Call word.FontUnderline(wdUnderlineNone )
Call word.FontBold(False)
Call word.FontColorIndex(wdDarkBlue)
Call word.FontName("Arial")
'// Lecture des documents
Set doc = view.GetFirstDocument
While Not doc Is Nothing
    Call word.Newline(1)
    Call word.AppendText(Cstr(doc.number(0)) & Chr$(9) ,False)
    Call word.AppendText(doc.name(0) & Chr$(9) ,False)
    Call word.AppendText(doc.Position(0),False)
    Set doc=view.getnextdocument(doc)
Wend
Call word.Newline(1)
'// Efface les tabulations
Call word.TabStopClear(1.5)
Call word.TabStopClear(11)
Call word.Style("Normal")
'// Sauvegarde
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Call word.SaveAs("c:\alpha\notes2word.doc")
```

```
'// fermeture de la session
```

```
Call w.QuitSession
```

```
Exit Sub
```

```
erreur:
```

```
Msgbox "Err " & Err & " " & Error$ & " ligne " & Erl
```

```
Resume fin
```

```
fin:
```

```
End Sub
```

```
'//-----
```

```
'// Fonte
```

```
'//-----
```

```
Sub FontName(n As String)
```

```
Selection.Font.Name = n
```

```
End Sub
```

```
'//-----
```

```
'// Taille des caractères
```

```
'//-----
```

```
Sub FontSize (fz As Integer)
```

```
Selection.Font.Size = fz
```

```
End Sub
```

```
'//-----
```

```
'// Gras
```

```
'//-----
```

```
Sub FontBold(toggle As Integer)
```

```
Selection.Font.Bold = Toggle
```

```
End Sub
```

```
//-----  
// Souligné  
//-----
```

**Sub FontUnderline(toggle As Integer)**

```
    'wdUnderlineDashHeavy  
    'wdUnderlineDashLongHeavy  
    'wdUnderlineDotDashHeavy  
    'wdUnderlineDotDotDashHeavy  
    'wdUnderlineDottedHeavy  
    'wdUnderlineNone  
    'wdUnderlineThick  
    'wdUnderlineWavyDouble  
    'wdUnderlineWords  
    'wdUnderlineDash  
    'wdUnderlineDashLong  
    'wdUnderlineDotDash  
    'wdUnderlineDotDotDash  
    'wdUnderlineDotted  
    'wdUnderlineDouble  
    'wdUnderlineSingle  
    'wdUnderlineWavy  
    'wdUnderlineWavyHeavy  
    Selection.Font.Underline = toggle  
End Sub
```

```
//-----  
// Italic  
//-----
```

**Sub FontItalic(toggle As Integer)**

```
    Selection.Font.Italic = Toggle  
End Sub
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'//-----  
'// Italic  
'//-----  
Sub FontColor(color As Integer)  
    Selection.Font.Italic = color  
End Sub  
  
'//-----  
-  
'// Texte dans un paragraphe  
'//-----  
-  
Function AddTextToDoc(text As String) As Variant  
    Dim doc As Variant  
    Set doc=document  
    Set lastParagraph =  
doc.Paragraphs(doc.Paragraphs.Count).Range  
    newRangeStart = lastParagraph.End-1 ' This is where the  
new text will be placed  
    Call lastParagraph.InsertAfter(text)  
End Function  
  
'//-----  
'// Centrage du texte  
'//-----  
Sub AlignCenterParagraph  
    Selection.ParagraphFormat.Alignment =  
wdAlignParagraphCenter  
End Sub  
  
'//-----  
'// Cadrage à droite  
'//-----  
Sub AlignRightParagraph  
    Selection.ParagraphFormat.Alignment =  
wdAlignParagraphRight  
End Sub
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'//-----  
'// Cadrage à gauche  
'//-----  
Sub AlignLeftParagraph  
        Selection.ParagraphFormat.Alignment =  
wdAlignParagraphLeft  
    End Sub  
  
'//-----  
'// Création d'un tableau  
'//-----  
Sub CreateTable(rows As Integer, cols As Integer)  
        Call ActiveDocument.Tables.Add(Selection.Range,rows,cols)  
    End Sub  
  
'//-----  
'// Largeur des d'une colonne d'un tableau  
'//-----  
Sub SetTableColumnWidth(t As Integer, c As Integer, w As  
Single)  
        Dim table As Variant  
        Dim column As Variant  
        Set table=ActiveDocument.Tables(t)  
        Set column = table.Columns(c)  
        column.PreferredWidthType = 3  
        column.Width = WApp.CentimetersToPoints(w)  
    End Sub
```

```
//-----  
// Hauteur d'une ligne d'un tableau  
//-----
```

Single)

**Sub SetTableColumnHeight(t As Integer, r As Integer, h As**

```
    'wdRowHeightAtLeast=1  
    'wdRowHeightAuto=0  
    'wdRowHeightExactly=2  
    Dim table As Variant  
    Dim row As Variant  
    Set table=ActiveDocument.Tables(t)  
    Set row = table.Rows(r)  
    Row.HeightRule = 2  
    Row.Height = WApp.CentimetersToPoints(h)
```

End Sub

```
////////////////////////////////////  
// Unités de déplacement  
//    wdLine  
// wdParagraph  
// wdWindow  
// wdScreen  
// wdCell  
//    wdSentence  
// wdSection  
// wdStory  
////////////////////////////////////
```

```
//-----  
// Déplacement à droite  
//-----
```

**Sub MoveRight(u As Integer, n As Integer, e As Integer)**

```
    Call Selection.MoveRight(u,n,e)
```

End Sub

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'//-----  
'// Homekey  
'//-----  
Sub HomeKey(u As Integer,e As Integer)  
    Call Selection.HomeKey(u)  
End Sub  
  
'//-----  
'// EndKey  
'//-----  
Sub EndKey(u As Integer,e As Integer)  
    Call Selection.EndKey(u,e)  
End Sub  
  
'//-----  
'// Déplacement à gauche  
'//-----  
Sub MoveLeft(u As Integer,n As Integer,e As Integer)  
    Call Selection.MoveLeft(u,n,e)  
End Sub  
  
'//-----  
'// Déplacement vers la fin  
'//-----  
Sub MoveEnd(u As Integer,n As Integer)  
    Call Selection.MoveEnd(u,n)  
End Sub  
  
'//-----  
'// Déplacement vers le début  
'//-----  
Sub MoveStart(u As Integer,n As Integer)  
    Call Selection.MoveStart(u,n)  
End Sub
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
'//-----  
'// Déplacement vers le bas  
'//-----  
Sub MoveDown(u As Integer,n As Integer,e As Integer)  
    Call Selection.MoveDown(u, n,e)  
End Sub  
  
'//-----  
'// Déplacement vers le haut  
'//-----  
Sub MoveUp(u As Integer,n As Integer,e As Integer)  
    Call Selection.MoveUp(u, n, e)  
End Sub  
  
'//-----  
'// Taquet de tabulation positionné  
'//-----  
Sub TabStop(p As Single)  
    Call  
Selection.ParagraphFormat.TabStops.Add(WApp.CentimetersToPoints(p))  
End Sub  
  
'//-----  
'// Taquet de tabulation effacé  
'//-----  
Sub TabStopClear(p As Single)  
    Call  
Selection.ParagraphFormat.TabStops(WApp.CentimetersToPoints(2)).Clear  
End Sub  
  
'//-----  
'// Enregistrement du document  
'//-----  
Sub saveAs(fn As String)  
    Activedocument.SaveAs fn  
End Sub
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

### Sub Save

```
ActiveDocument.Save  
End Sub
```

```
'//-----  
'// Fermeture d'une session MS Word  
'//-----
```

### Sub QuitSession

```
On Error Goto CreateSession  
Set WApp = GetObject("", "Word.Application")  
ExistSessionOK:  
WApp.Quit  
Print "Session MS Word terminée"  
Exit Sub  
CreateSession:  
Err = 0  
WApp = CreateObject("Word.Application")  
If WApp Is Nothing Then  
Error 9999,"Impossible d'initialiser la session MS  
Word"  
Resume EndCloseSession  
End If  
Resume ExistSessionOK  
EndCloseSession:  
End Sub  
  
End Class
```

---

RÉSULTATS OBTENUS

*Liste des joueurs*

<b>N°</b>	<b>Nom</b>	<b>Position</b>
13	Rey Sanchez	2B
18	Johnny Damon	CF
19	John Burkett	P
22	Tony Clark	1B
23	Brian Daubach	DH
24	Manny Ramirez	LF
26	Lou Merloni	2B
28	Doug Mirabelli	C
29	Shea Hillenbrand	3B
31	Dustin Hermanson	P
32	Derek Lowe	P
33	Jason Varitek	C
34	Rich Garces	P
35	Rickey Henderson	LF
37	Frank Castillo	P
41	Ugueth Urbina	P
44	Rolando Arrojo	P
45	Pedro Martinez	P
46	Calvin Pickering	1B
47	Sun-Woo Kim	P
49	Tim Wakefield	P
55	Jeff Wallace	P
58	Bry Nelson	2B
63	Paxton Crawford	P
10	Carlos Baerga	3B
15	Casey Fossum	P
30	Jose Offerman	DH
36	Darren Oliver	P
5	Nomar Garciaparra	SS
7	Trot Nixon	RF

**Liste des joueurs**

<b>N°</b>	<b>Nom</b>	<b>Position</b>
13	Rey Sanchez	2B
18	Johnny Damon	CF
19	John Burkett	P
22	Tony Clark	1B
23	Brian Daubach	DH
24	Manny Ramirez	LF
26	Lou Merloni	2B
28	Doug Mirabelli	C
29	Shea Hillenbrand	3B
31	Dustin Hermanson	P
32	Derek Lowe	P
33	Jason Varitek	C
34	Rich Garces	P
35	Rickey Henderson	LF
37	Frank Castillo	P
41	Ugueth Urbina	P
44	Rolando Arrojo	P
45	Pedro Martinez	P
46	Calvin Pickering	1B
47	Sun-Woo Kim	P
49	Tim Wakefield	P
55	Jeff Wallace	P
58	Bry Nelson	2B
63	Paxton Crawford	P
10	Carlos Baerga	3B
15	Casey Fossum	P
30	Jose Offerman	DH
36	Darren Oliver	P
5	Nomar Garciaparra	SS
7	Trot Nixon	RF

---

**ANNEXE A. LE MODULE WORDCONST**

'Constantes Winword

Const wdAlignPageNumberLeft =0  
Const wdAlignPageNumberCenter =1  
Const wdAlignPageNumberRight =2  
Const wdAlignPageNumberInside =3  
Const wdAlignPageNumberOutside =4

Const wdBorderTop =-1  
Const wdBorderLeft =-2  
Const wdBorderBottom =-3  
Const wdBorderRight =-4  
Const wdBorderHorizontal =-5  
Const wdBorderVertical =-6

Const wdBorderDiagonalDown =-7  
Const wdBorderDiagonalUp =-8

Const wdStyleTypeParagraph =1  
Const wdStyleTypeCharacter =2

Const wdCharacter =1  
Const wdWord =2  
Const wdSentence =3  
Const wdParagraph =4  
Const wdLine =5  
Const wdStory =6  
Const wdScreen =7  
Const wdSection =8  
Const wdColumn =9  
Const wdRow =10  
Const wdWindow =11  
Const wdCell =12  
Const wdCharacterFormatting =13  
Const wdParagraphFormatting =14  
Const wdTable =15

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdItem =16

Const wdRowHeightAuto =0  
Const wdRowHeightAtLeast =1  
Const wdRowHeightExactly =2

Const wdInsertCellsShiftRight =0  
Const wdInsertCellsShiftDown =1  
Const wdInsertCellsEntireRow =2  
Const wdInsertCellsEntireColumn =3

Const wdDeleteCellsShiftLeft =0  
Const wdDeleteCellsShiftUp =1  
Const wdDeleteCellsEntireRow =2  
Const wdDeleteCellsEntireColumn =3

Const wdAdjustNone =0  
Const wdAdjustProportional =1  
Const wdAdjustFirstColumn =2  
Const wdAdjustSameWidth =3

Const wdAlignParagraphLeft =0  
Const wdAlignParagraphCenter =1  
Const wdAlignParagraphRight =2  
Const wdAlignParagraphJustify =3

Const wdAlignParagraphDistribute =4

Const wdAlignRowLeft =0  
Const wdAlignRowCenter =1  
Const wdAlignRowRight =2

Const wdAlignTabLeft =0  
Const wdAlignTabCenter =1  
Const wdAlignTabRight =2  
Const wdAlignTabDecimal =3  
Const wdAlignTabBar =4  
Const wdAlignTabList =6

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdAlignVerticalTop =0  
Const wdAlignVerticalCenter =1  
Const wdAlignVerticalJustify =2  
Const wdAlignVerticalBottom =3

Const wdCellAlignVerticalTop =0  
Const wdCellAlignVerticalCenter =1  
Const wdCellAlignVerticalBottom =3

Const wdPageBreak =7

Const wdWindowStateNormal =0  
Const wdWindowStateMaximize =1  
Const wdWindowStateMinimize =2  
Const wdKeyPause =19  
Const wdKeyEsc =27  
Const wdKeySpacebar =32  
Const wdKeyPageUp =33  
Const wdKeyPageDown =34  
Const wdKeyEnd =35  
Const wdKeyHome =36  
Const wdKeyInsert =45  
Const wdKeyDelete =46  
Const wdKeyNumeric0 =96  
Const wdKeyNumeric1 =97  
Const wdKeyNumeric2 =98  
Const wdKeyNumeric3 =99  
Const wdKeyNumeric4 =100  
Const wdKeyNumeric5 =101  
Const wdKeyNumeric6 =102  
Const wdKeyNumeric7 =103  
Const wdKeyNumeric8 =104  
Const wdKeyNumeric9 =105  
Const wdKeyNumericMultiply =106  
Const wdKeyNumericAdd =107  
Const wdKeyNumericSubtract =109  
Const wdKeyNumericDecimal =110

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdKeyNumericDivide =111  
Const wdKeyF1 =112  
Const wdKeyF2 =113  
Const wdKeyF3 =114  
Const wdKeyF4 =115  
Const wdKeyF5 =116  
Const wdKeyF6 =117  
Const wdKeyF7 =118  
Const wdKeyF8 =119  
Const wdKeyF9 =120  
Const wdKeyF10 =121  
Const wdKeyF11 =122  
Const wdKeyF12 =123  
Const wdKeyF13 =124  
Const wdKeyF14 =125  
Const wdKeyF15 =126  
Const wdKeyF16 =127  
Const wdKeyScrollLock =145  
Const wdKeySemiColon =186  
Const wdKeyEquals =187  
Const wdKeyComma =188  
Const wdKeyHyphen =189  
Const wdKeyPeriod =190  
Const wdKeySlash =191  
Const wdKeyBackSingleQuote =192  
Const wdKeyOpenSquareBrace =219  
Const wdKeyBackSlash =220  
Const wdKeyCloseSquareBrace =221  
Const wdKeySingleQuote =222

Const wdOLELink =0  
Const wdOLEEmbed =1  
Const wdOLEControl =2

Const wdOLEVerbPrimary =0  
Const wdOLEVerbShow =-1  
Const wdOLEVerbOpen =-2  
Const wdOLEVerbHide =-3

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdOLEVerbUIActivate        =-4  
Const wdOLEVerbInPlaceActivate   =-5  
Const wdOLEVerbDiscardUndoState  =-6

Const wdInLine                    =0  
Const wdFloatOverText            =1

Const wdLeftPortrait             =0  
Const wdCenterPortrait           =1  
Const wdRightPortrait            =2  
Const wdLeftLandscape            =3  
Const wdCenterLandscape          =4  
Const wdRightLandscape           =5  
Const wdLeftClockwise            =6  
Const wdCenterClockwise          =7  
Const wdRightClockwise           =8

Const wdFullBlock                =0  
Const wdModifiedBlock            =1  
Const wdSemiBlock                 =2

Const wdLetterTop                =0  
Const wdLetterBottom             =1  
Const wdLetterLeft                =2  
Const wdLetterRight               =3

Const wdSalutationInformal       =0  
Const wdSalutationFormal         =1  
Const wdSalutationBusiness       =2  
Const wdSalutationOther          =3

Const wdGenderFemale             =0  
Const wdGenderMale                =1  
Const wdGenderNeutral             =2  
Const wdGenderUnknown             =3

Const wdMove                      =0  
Const wdExtend                     =1

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Const wdUn          =9999999
Const wdToggle      =9999998
Const wdForward     =1073741823
Const wdBackward    =-1073741823
Const wdAutoPosition =0
Const wdFirst       =1
Const wdCreatorCode =1297307460

Const wdPasteOLEObject =0
Const wdPasteRTF       =1
Const wdPasteText      =2
Const wdPasteMetafilePicture =3
Const wdPasteBitmap    =4
Const wdPasteDeviceIndependentBitmap =5
Const wdPasteHyperlink =7
Const wdPasteShape     =8
Const wdPasteEnhancedMetafile =9

Const wdPrintDocumentContent =0
Const wdPrintProperties      =1
Const wdPrintComments       =2
Const wdPrintStyles         =3
Const wdPrintAutoTextEntries =4
Const wdPrintKeyAssignments  =5
Const wdPrintEnvelope       =6

Const wdPrintAllPages      =0
Const wdPrintOddPagesOnly  =1
Const wdPrintEvenPagesOnly =2

Const wdPrintAllDocument  =0
Const wdPrintSelection     =1
Const wdPrintCurrentPage  =2
Const wdPrintFromTo       =3
Const wdPrintRangeOfPages =4

Const wdSpelling          =0
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdGrammar =1  
Const wdThesaurus =2  
Const wdHyphenation =3  
Const wdSpellingComplete =4  
Const wdSpellingCustom =5  
Const wdSpellingLegal =6  
Const wdSpellingMedical =7

Const wdHangulHanjaConversion =8  
Const wdHangulHanjaConversionCustom =9

Const wdSpellword =0  
Const wdWildcard =1  
Const wdAnagram =2

Const wdSpellingCorrect =0  
Const wdSpellingNotInDictionary =1  
Const wdSpellingCapitalization =2

Const wdSpellingError =0  
Const wdGrammaticalError =1

Const wdInlineShapeEmbeddedOLEObject =1  
Const wdInlineShapeLinkedOLEObject =2  
Const wdInlineShapePicture =3  
Const wdInlineShapeLinkedPicture =4  
Const wdInlineShapeOLEControlObject =5

Const wdTiled =0  
Const wdIcons =1

Const wdSelStartActive =1  
Const wdSelAtEOL =2  
Const wdSelOvertyping =4  
Const wdSelActive =8  
Const wdSelReplace =16

Const wdAutoVersionOff =0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Const wdAutoVersionOnClose =1

Const wdOrganizerObjectStyles =0
Const wdOrganizerObjectAutoText =1
Const wdOrganizerObjectCommandBars =2
Const wdOrganizerObjectProjectItems =3

Const wdMatchParagraphMark =65551
Const wdMatchTabCharacter =9
Const wdMatchCommentMark =5
Const wdMatchAnyCharacter =65599
Const wdMatchAnyDigit =65567
Const wdMatchAnyLetter =65583
Const wdMatchCaretCharacter =11
Const wdMatchColumnBreak =14
Const wdMatchEmDash =8212
Const wdMatchEnDash =8211
Const wdMatchEndnoteMark =65555
Const wdMatchField =19
Const wdMatchFootnoteMark =65554
Const wdMatchGraphic =1
Const wdMatchManualLineBreak =65551
Const wdMatchManualPageBreak =65564
Const wdMatchNonbreakingHyphen =30
Const wdMatchNonbreakingSpace =160
Const wdMatchOptionalHyphen =31
Const wdMatchSectionBreak =65580
Const wdMatchWhiteSpace =65655

Const wdFindStop =0
Const wdFindContinue =1
Const wdFindAsk =2

Const wdActiveEndAdjustedPageNumber =1
Const wdActiveEndSectionNumber =2
Const wdActiveEndPageNumber =3
Const wdNumberOfPagesInDocument =4
Const wdHorizontalPositionRelativeToPage =5
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdVerticalPositionRelativeToPage	=6
'Const wdHorizontalPositionRelativeToTextBoundary	=7
'Const wdVerticalPositionRelativeToTextBoundary	=8
Const wdFirstCharacterColumnNumber	=9
Const wdFirstCharacterLineNumber	=10
Const wdFrameIsSelected	=11
Const wdWithInTable	=12
Const wdStartOfRangeRowNumber	=13
Const wdEndOfRangeRowNumber	=14
Const wdMaximumNumberOfRows	=15
Const wdStartOfRangeColumnNumber	=16
Const wdEndOfRangeColumnNumber	=17
Const wdMaximumNumberOfColumns	=18
Const wdZoomPercentage	=19
Const wdSelectionMode	=20
Const wdCapsLock	=21
Const wdNumLock	=22
Const wdOverType	=23
Const wdRevisionMarking	=24
Const wdInFootnoteEndnotePane	=25
Const wdInCommentPane	=26
Const wdInHeaderFooter	=28
Const wdAtEndOfRowMarker	=31
Const wdReferenceOfType	=32
Const wdHeaderFooterType	=33
Const wdInMasterDocument	=34
Const wdInFootnote	=35
Const wdInEndnote	=36
Const wdInWordMail	=37
Const wdInClipboard	=38
Const wdWrapSquare	=0
Const wdWrapTight	=1
Const wdWrapThrough	=2
Const wdWrapNone	=3
Const wdWrapTopBottom	=4
Const wdWrapBoth	=0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdWrapLeft =1  
Const wdWrapRight =2  
Const wdWrapLargest =3

Const wdOutlineLevel1 =1  
Const wdOutlineLevel2 =2  
Const wdOutlineLevel3 =3  
Const wdOutlineLevel4 =4  
Const wdOutlineLevel5 =5  
Const wdOutlineLevel6 =6  
Const wdOutlineLevel7 =7  
Const wdOutlineLevel8 =8  
Const wdOutlineLevel9 =9  
Const wdOutlineLevelBodyText =10

Const wdTextOrientationHorizontal =0  
Const wdTextOrientationUpward =2  
Const wdTextOrientationDownward =3

'Const wdTextOrientationVerticalFarEast =1  
'Const wdTextOrientationHorizontalRotatedFarEast =4

Const wdArtApples =1  
Const wdArtMapleMuffins =2  
Const wdArtCakeSlice =3  
Const wdArtCandyCorn =4  
Const wdArtIceCreamCones =5  
Const wdArtChampagneBottle =6  
Const wdArtPartyGlass =7  
Const wdArtChristmasTree =8  
Const wdArtTrees =9  
Const wdArtPalmsColor =10  
Const wdArtBalloons3Colors =11  
Const wdArtBalloonsHotAir =12  
Const wdArtPartyFavor =13  
Const wdArtConfettiStreamers =14  
Const wdArtHearts =15  
Const wdArtHeartBalloon =16

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdArtStars3D	=17
Const wdArtStarsShadowed	=18
Const wdArtStars	=19
Const wdArtSun	=20
Const wdArtEarth2	=21
Const wdArtEarth1	=22
Const wdArtPeopleHats	=23
Const wdArtSombrero	=24
Const wdArtPencils	=25
Const wdArtPackages	=26
Const wdArtClocks	=27
Const wdArtFirecrackers	=28
Const wdArtRings	=29
Const wdArtMapPins	=30
Const wdArtConfetti	=31
Const wdArtCreaturesButterfly	=32
Const wdArtCreaturesLadyBug	=33
Const wdArtCreaturesFish	=34
Const wdArtBirdsFlight	=35
Const wdArtScaredCat	=36
Const wdArtBats	=37
Const wdArtFlowersRoses	=38
Const wdArtFlowersRedRose	=39
Const wdArtPoinsettias	=40
Const wdArtHolly	=41
Const wdArtFlowersTiny	=42
Const wdArtFlowersPansy	=43
Const wdArtFlowersModern2	=44
Const wdArtFlowersModern1	=45
Const wdArtWhiteFlowers	=46
Const wdArtVine	=47
Const wdArtFlowersDaisies	=48
Const wdArtFlowersBlockPrint	=49
Const wdArtDecoArchColor	=50
Const wdArtFans	=51
Const wdArtFilm	=52
Const wdArtLightning1	=53
Const wdArtCompass	=54

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdArtDoubleD =55  
Const wdArtClassicalWave =56  
Const wdArtShadowedSquares =57  
Const wdArtTwistedLines1 =58  
Const wdArtWaveline =59  
Const wdArtQuadrants =60  
Const wdArtCheckedBarColor =61  
Const wdArtSwirligig =62  
Const wdArtPushPinNote1 =63  
Const wdArtPushPinNote2 =64  
Const wdArtPumpkin1 =65  
Const wdArtEggsBlack =66  
Const wdArtCup =67  
Const wdArtHeartGray =68  
Const wdArtGingerbreadMan =69  
Const wdArtBabyPacifier =70  
Const wdArtBabyRattle =71  
Const wdArtCabins =72  
Const wdArtHouseFunky =73  
Const wdArtStarsBlack =74  
Const wdArtSnowflakes =75  
Const wdArtSnowflakeFancy =76  
Const wdArtSkyrocket =77  
Const wdArtSeattle =78  
Const wdArtMusicNotes =79  
Const wdArtPalmsBlack =80  
Const wdArtMapleLeaf =81  
Const wdArtPaperClips =82  
Const wdArtShorebirdTracks =83  
Const wdArtPeople =84  
Const wdArtPeopleWaving =85  
Const wdArtEclipsingSquares2 =86  
Const wdArtHypnotic =87  
Const wdArtDiamondsGray =88  
Const wdArtDecoArch =89  
Const wdArtDecoBlocks =90  
Const wdArtCirclesLines =91  
Const wdArtPapyrus =92

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdArtWoodwork	=93
Const wdArtWeavingBraid	=94
Const wdArtWeavingRibbon	=95
Const wdArtWeavingAngles	=96
Const wdArtArchedScallops	=97
Const wdArtSafari	=98
Const wdArtCelticKnotwork	=99
Const wdArtCrazyMaze	=100
Const wdArtEclipsingSquares1	=101
Const wdArtBirds	=102
Const wdArtFlowersTeacup	=103
Const wdArtNorthwest	=104
Const wdArtSouthwest	=105
Const wdArtTribal6	=106
Const wdArtTribal4	=107
Const wdArtTribal3	=108
Const wdArtTribal2	=109
Const wdArtTribal5	=110
Const wdArtXIllusions	=111
Const wdArtZanyTriangles	=112
Const wdArtPyramids	=113
Const wdArtPyramidsAbove	=114
Const wdArtConfettiGrays	=115
Const wdArtConfettiOutline	=116
Const wdArtConfettiWhite	=117
Const wdArtMosaic	=118
Const wdArtLightning2	=119
Const wdArtHeebieJeebies	=120
Const wdArtLightBulb	=121
Const wdArtGradient	=122
Const wdArtTriangleParty	=123
Const wdArtTwistedLines2	=124
Const wdArtMoons	=125
Const wdArtOvals	=126
Const wdArtDoubleDiamonds	=127
Const wdArtChainLink	=128
Const wdArtTriangles	=129
Const wdArtTribal1	=130

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

Const wdArtMarqueeToothed	=131
Const wdArtSharksTeeth	=132
Const wdArtSawtooth	=133
Const wdArtSawtoothGray	=134
Const wdArtPostageStamp	=135
Const wdArtWeavingStrips	=136
Const wdArtZigZag	=137
Const wdArtCrossStitch	=138
Const wdArtGems	=139
Const wdArtCirclesRectangles	=140
Const wdArtCornerTriangles	=141
Const wdArtCreaturesInsects	=142
Const wdArtZigZagStitch	=143
Const wdArtCheckered	=144
Const wdArtCheckedBarBlack	=145
Const wdArtMarquee	=146
Const wdArtBasicWhiteDots	=147
Const wdArtBasicWideMidline	=148
Const wdArtBasicWideOutline	=149
Const wdArtBasicWideInline	=150
Const wdArtBasicThinLines	=151
Const wdArtBasicWhiteDashes	=152
Const wdArtBasicWhiteSquares	=153
Const wdArtBasicBlackSquares	=154
Const wdArtBasicBlackDashes	=155
Const wdArtBasicBlackDots	=156
Const wdArtStarsTop	=157
Const wdArtCertificateBanner	=158
Const wdArtHandmade1	=159
Const wdArtHandmade2	=160
Const wdArtTornPaper	=161
Const wdArtTornPaperBlack	=162
Const wdArtCouponCutoutDashes	=163
Const wdArtCouponCutoutDots	=164
Const wdBorderDistanceFromText	=0
Const wdBorderDistanceFromPageEdge	=1

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Const wdOrientPortrait      =0
Const wdOrientLandscape    =1
Const wdReplaceNone        =0
Const wdReplaceOne         =1
Const wdReplaceAll         =2

Const wdFontBiasDontCare   =255
Const wdFontBiasDefault    =0
Const wdFontBiasFareast    =1

'* WdGoToItem
Const wdGoToBookmark       =-1
Const wdGoToSection        =0
Const wdGoToPage           =1
Const wdGoToTable          =2
Const wdGoToLine           =3
Const wdGoToFootnote       =4
Const wdGoToEndnote        =5
Const wdGoToComment        =6
Const wdGoToField          =7
Const wdGoToGraphic         =8
Const wdGoToObject         =9
Const wdGoToEquation        =10
Const wdGoToHeading         =11
Const wdGoToPercent         =12
Const wdGoToSpellingError   =13
Const wdGoToGrammaticalError =14
Const wdGoToProofreadingError =15

'* WdGoToDirection
Const wdGoToFirst          =1
Const wdGoToLast           =-1
Const wdGoToNext           =2
Const wdGoToRelative        =2
Const wdGoToPrevious        =3
Const wdGoToAbsolute        =1

'* Soulignement
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Const wdUnderlineDash=7
Const wdUnderlineDotDash=9
Const wdUnderlineDotDotDash=10
Const wdUnderlineDotted=4
Const wdUnderlineDouble=3
Const wdUnderlineNone=0
Const wdUnderlineSingle=1
Const wdUnderlineThick=6
Const wdUnderlineWavy=11
Const wdUnderlineWords=2
```

'\* Lignes

```
Const wdLineBreak=6
Const wdLineSpace1pt5=1
Const wdLineSpaceAtLeast=3
Const wdLineSpaceDouble=2
Const wdLineSpaceExactly=4
Const wdLineSpaceMultiple=5
Const wdLineSpaceSingle=0
Const wdLineStyleDashDot=5
Const wdLineStyleDashDotDot=6
Const wdLineStyleDashDotStroked=20
Const wdLineStyleDashLargeGap=4
Const wdLineStyleDashSmallGap=3
Const wdLineStyleDot=2
Const wdLineStyleDouble=7
Const wdLineStyleDoubleWavy=19
Const wdLineStyleEmboss3D=21
Const wdLineStyleEngrave3D=22
Const wdLineStyleNone=0
Const wdLineStyleSingle=1
Const wdLineStyleSingleWavy=18
Const wdLineStyleThickThinLargeGap=16
Const wdLineStyleThickThinMedGap=13
Const wdLineStyleThickThinSmallGap=10
Const wdLineStyleThinThickLargeGap=15
Const wdLineStyleThinThickMedGap=12
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
Const wdLineStyleThinThickSmallGap=9
Const wdLineStyleThinThickThinLargeGap=17
Const wdLineStyleThinThickThinMedGap=14
Const wdLineStyleThinThickThinSmallGap=11
Const wdLineStyleTriple=8
Const wdLineWidth025pt=2
Const wdLineWidth050pt=4
Const wdLineWidth075pt=6
Const wdLineWidth100pt=8
Const wdLineWidth150pt=12
Const wdLineWidth225pt=18
Const wdLineWidth300pt=24
Const wdLineWidth450pt=36
Const wdLineWidth600pt=48
Const wdLineWrapLikeWord6=32
```

'\* ColorIndex

```
Const wdAuto = 0
Const wdBack = 1
Const wdBlue = 2
Const wdTurquoise = 3
Const wdBrightGreen = 4
Const wdPink = 5
Const wdRed = 6
Const wdYellow = 7
Const wdWhite = 8
Const wdDarkBlue = 9
Const wdTeal= 10
Const wdGreen = 11
Const wsViolet = 12
Const wdDarkRed = 13
Const wdDarkYellow = 14
Const wdGray50 = 15
Const wdGray25 = 16
```

'\* Saut de section

```
Const wdSectionBreakNextPage=2
```

---

### ANNEXE B. CONSTANTES OLE

Vous trouverez ci-dessous une liste de constants OLE plus complète.  
Cependant, il sera nécessaire de réduire la taille de certaines variables.

```
'=====
'Word Constants
'=====
PUBLIC CONST wd100Words=-4
PUBLIC CONST wd10Percent=-6
PUBLIC CONST wd10Sentences=-2
PUBLIC CONST wd20Sentences=-3
PUBLIC CONST wd24HourClock=21
PUBLIC CONST wd25Percent=-7
PUBLIC CONST wd500Words=-5
PUBLIC CONST wd50Percent=-8
PUBLIC CONST wd75Percent=-9
PUBLIC CONST wdActiveEndAdjustedPageNumber=1
PUBLIC CONST wdActiveEndPageNumber=3
PUBLIC CONST wdActiveEndSectionNumber=2
PUBLIC CONST wdAdjective=0
PUBLIC CONST wdAdjustFirstColumn=2
PUBLIC CONST wdAdjustNone=0
PUBLIC CONST wdAdjustProportional=1
PUBLIC CONST wdAdjustSameWidth=3
PUBLIC CONST wdAdverb=2
PUBLIC CONST wdAfrikaans=1078
PUBLIC CONST wdAlertsAll=-1
PUBLIC CONST wdAlertsMessageBox=-2
PUBLIC CONST wdAlertsNone=0
PUBLIC CONST wdAlignPageNumberCenter=1
PUBLIC CONST wdAlignPageNumberInside=3
PUBLIC CONST wdAlignPageNumberLeft=0
PUBLIC CONST wdAlignPageNumberOutside=4
PUBLIC CONST wdAlignPageNumberRight=2
PUBLIC CONST wdAlignParagraphCenter=1
PUBLIC CONST wdAlignParagraphDistribute=4
PUBLIC CONST wdAlignParagraphJustify=3
PUBLIC CONST wdAlignParagraphLeft=0
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdAlignParagraphRight=2  
PUBLIC CONST wdAlignRowCenter=1  
PUBLIC CONST wdAlignRowLeft=0  
PUBLIC CONST wdAlignRowRight=2  
PUBLIC CONST wdAlignTabBar=4  
PUBLIC CONST wdAlignTabCenter=1  
PUBLIC CONST wdAlignTabDecimal=3  
PUBLIC CONST wdAlignTabLeft=0  
PUBLIC CONST wdAlignTabList=6  
PUBLIC CONST wdAlignTabRight=2  
PUBLIC CONST wdAlignVerticalBottom=3  
PUBLIC CONST wdAlignVerticalCenter=1  
PUBLIC CONST wdAlignVerticalJustify=2  
PUBLIC CONST wdAlignVerticalTop=0  
PUBLIC CONST wdAllAtOnce=1  
PUBLIC CONST wdAllowOnlyComments=1  
PUBLIC CONST wdAllowOnlyFormFields=2  
PUBLIC CONST wdAllowOnlyRevisions=0  
PUBLIC CONST wdAlwaysConvert=1  
PUBLIC CONST wdAnagram=2  
PUBLIC CONST wdAnimationBlinkingBackground=2  
PUBLIC CONST wdAnimationLasVegasLights=1  
PUBLIC CONST wdAnimationMarchingBlackAnts=4  
PUBLIC CONST wdAnimationMarchingRedAnts=5  
PUBLIC CONST wdAnimationNone=0  
PUBLIC CONST wdAnimationShimmer=6  
PUBLIC CONST wdAnimationSparkleText=3  
PUBLIC CONST wdArabic=1025  
PUBLIC CONST wdArgentina=54  
PUBLIC CONST wdArtApples=1  
PUBLIC CONST wdArtArchedScallops=97  
PUBLIC CONST wdArtBabyPacifier=70  
PUBLIC CONST wdArtBabyRattle=71  
PUBLIC CONST wdArtBalloons3Colors=11  
PUBLIC CONST wdArtBalloonsHotAir=12  
PUBLIC CONST wdArtBasicBlackDashes=155  
PUBLIC CONST wdArtBasicBlackDots=156  
PUBLIC CONST wdArtBasicBlackSquares=154

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdArtBasicThinLines=151  
PUBLIC CONST wdArtBasicWhiteDashes=152  
PUBLIC CONST wdArtBasicWhiteDots=147  
PUBLIC CONST wdArtBasicWhiteSquares=153  
PUBLIC CONST wdArtBasicWideInline=150  
PUBLIC CONST wdArtBasicWideMidline=148  
PUBLIC CONST wdArtBasicWideOutline=149  
PUBLIC CONST wdArtBats=37  
PUBLIC CONST wdArtBirds=102  
PUBLIC CONST wdArtBirdsFlight=35  
PUBLIC CONST wdArtCabins=72  
PUBLIC CONST wdArtCakeSlice=3  
PUBLIC CONST wdArtCandyCorn=4  
PUBLIC CONST wdArtCelticKnotwork=99  
PUBLIC CONST wdArtCertificateBanner=158  
PUBLIC CONST wdArtChainLink=128  
PUBLIC CONST wdArtChampagneBottle=6  
PUBLIC CONST wdArtCheckedBarBlack=145  
PUBLIC CONST wdArtCheckedBarColor=61  
PUBLIC CONST wdArtCheckered=144  
PUBLIC CONST wdArtChristmasTree=8  
PUBLIC CONST wdArtCirclesLines=91  
PUBLIC CONST wdArtCirclesRectangles=140  
PUBLIC CONST wdArtClassicalWave=56  
PUBLIC CONST wdArtClocks=27  
PUBLIC CONST wdArtCompass=54  
PUBLIC CONST wdArtConfetti=31  
PUBLIC CONST wdArtConfettiGrays=115  
PUBLIC CONST wdArtConfettiOutline=116  
PUBLIC CONST wdArtConfettiStreamers=14  
PUBLIC CONST wdArtConfettiWhite=117  
PUBLIC CONST wdArtCornerTriangles=141  
PUBLIC CONST wdArtCouponCutoutDashes=163  
PUBLIC CONST wdArtCouponCutoutDots=164  
PUBLIC CONST wdArtCrazyMaze=100  
PUBLIC CONST wdArtCreaturesButterfly=32  
PUBLIC CONST wdArtCreaturesFish=34  
PUBLIC CONST wdArtCreaturesInsects=142

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdArtCreaturesLadyBug=33  
PUBLIC CONST wdArtCrossStitch=138  
PUBLIC CONST wdArtCup=67  
PUBLIC CONST wdArtDecoArch=89  
PUBLIC CONST wdArtDecoArchColor=50  
PUBLIC CONST wdArtDecoBlocks=90  
PUBLIC CONST wdArtDiamondsGray=88  
PUBLIC CONST wdArtDoubleD=55  
PUBLIC CONST wdArtDoubleDiamonds=127  
PUBLIC CONST wdArtEarth1=22  
PUBLIC CONST wdArtEarth2=21  
PUBLIC CONST wdArtEclipsingSquares1=101  
PUBLIC CONST wdArtEclipsingSquares2=86  
PUBLIC CONST wdArtEggsBlack=66  
PUBLIC CONST wdArtFans=51  
PUBLIC CONST wdArtFilm=52  
PUBLIC CONST wdArtFirecrackers=28  
PUBLIC CONST wdArtFlowersBlockPrint=49  
PUBLIC CONST wdArtFlowersDaisies=48  
PUBLIC CONST wdArtFlowersModern1=45  
PUBLIC CONST wdArtFlowersModern2=44  
PUBLIC CONST wdArtFlowersPansy=43  
PUBLIC CONST wdArtFlowersRedRose=39  
PUBLIC CONST wdArtFlowersRoses=38  
PUBLIC CONST wdArtFlowersTeacup=103  
PUBLIC CONST wdArtFlowersTiny=42  
PUBLIC CONST wdArtGems=139  
PUBLIC CONST wdArtGingerbreadMan=69  
PUBLIC CONST wdArtGradient=122  
PUBLIC CONST wdArtHandmade1=159  
PUBLIC CONST wdArtHandmade2=160  
PUBLIC CONST wdArtHeartBalloon=16  
PUBLIC CONST wdArtHeartGray=68  
PUBLIC CONST wdArtHearts=15  
PUBLIC CONST wdArtHeebieJeebies=120  
PUBLIC CONST wdArtHolly=41  
PUBLIC CONST wdArtHouseFunky=73  
PUBLIC CONST wdArtHypnotic=87

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdArtIceCreamCones=5  
PUBLIC CONST wdArtLightBulb=121  
PUBLIC CONST wdArtLightning1=53  
PUBLIC CONST wdArtLightning2=119  
PUBLIC CONST wdArtMapPins=30  
PUBLIC CONST wdArtMapleLeaf=81  
PUBLIC CONST wdArtMapleMuffins=2  
PUBLIC CONST wdArtMarquee=146  
PUBLIC CONST wdArtMarqueeToothed=131  
PUBLIC CONST wdArtMoons=125  
PUBLIC CONST wdArtMosaic=118  
PUBLIC CONST wdArtMusicNotes=79  
PUBLIC CONST wdArtNorthwest=104  
PUBLIC CONST wdArtOvals=126  
PUBLIC CONST wdArtPackages=26  
PUBLIC CONST wdArtPalmsBlack=80  
PUBLIC CONST wdArtPalmsColor=10  
PUBLIC CONST wdArtPaperClips=82  
PUBLIC CONST wdArtPapyrus=92  
PUBLIC CONST wdArtPartyFavor=13  
PUBLIC CONST wdArtPartyGlass=7  
PUBLIC CONST wdArtPencils=25  
PUBLIC CONST wdArtPeople=84  
PUBLIC CONST wdArtPeopleHats=23  
PUBLIC CONST wdArtPeopleWaving=85  
PUBLIC CONST wdArtPoinsettias=40  
PUBLIC CONST wdArtPostageStamp=135  
PUBLIC CONST wdArtPumpkin1=65  
PUBLIC CONST wdArtPushPinNote1=63  
PUBLIC CONST wdArtPushPinNote2=64  
PUBLIC CONST wdArtPyramids=113  
PUBLIC CONST wdArtPyramidsAbove=114  
PUBLIC CONST wdArtQuadrants=60  
PUBLIC CONST wdArtRings=29  
PUBLIC CONST wdArtSafari=98  
PUBLIC CONST wdArtSawtooth=133  
PUBLIC CONST wdArtSawtoothGray=134  
PUBLIC CONST wdArtScaredCat=36

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdArtSeattle=78  
PUBLIC CONST wdArtShadowedSquares=57  
PUBLIC CONST wdArtSharksTeeth=132  
PUBLIC CONST wdArtShorebirdTracks=83  
PUBLIC CONST wdArtSkyrocket=77  
PUBLIC CONST wdArtSnowflakeFancy=76  
PUBLIC CONST wdArtSnowflakes=75  
PUBLIC CONST wdArtSombrero=24  
PUBLIC CONST wdArtSouthwest=105  
PUBLIC CONST wdArtStars=19  
PUBLIC CONST wdArtStars3D=17  
PUBLIC CONST wdArtStarsBlack=74  
PUBLIC CONST wdArtStarsShadowed=18  
PUBLIC CONST wdArtStarsTop=157  
PUBLIC CONST wdArtSun=20  
PUBLIC CONST wdArtSwirligig=62  
PUBLIC CONST wdArtTornPaper=161  
PUBLIC CONST wdArtTornPaperBlack=162  
PUBLIC CONST wdArtTrees=9  
PUBLIC CONST wdArtTriangleParty=123  
PUBLIC CONST wdArtTriangles=129  
PUBLIC CONST wdArtTribal1=130  
PUBLIC CONST wdArtTribal2=109  
PUBLIC CONST wdArtTribal3=108  
PUBLIC CONST wdArtTribal4=107  
PUBLIC CONST wdArtTribal5=110  
PUBLIC CONST wdArtTribal6=106  
PUBLIC CONST wdArtTwistedLines1=58  
PUBLIC CONST wdArtTwistedLines2=124  
PUBLIC CONST wdArtVine=47  
PUBLIC CONST wdArtWaveline=59  
PUBLIC CONST wdArtWeavingAngles=96  
PUBLIC CONST wdArtWeavingBraid=94  
PUBLIC CONST wdArtWeavingRibbon=95  
PUBLIC CONST wdArtWeavingStrips=136  
PUBLIC CONST wdArtWhiteFlowers=46  
PUBLIC CONST wdArtWoodwork=93  
PUBLIC CONST wdArtXIllusions=111

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdArtZanyTriangles=112  
PUBLIC CONST wdArtZigZag=137  
PUBLIC CONST wdArtZigZagStitch=143  
PUBLIC CONST wdAskToConvert=3  
PUBLIC CONST wdAskToNotConvert=2  
PUBLIC CONST wdAtEndOfRowMarker=31  
PUBLIC CONST wdAttachedTemplate=2  
PUBLIC CONST wdAuto=0  
PUBLIC CONST wdAutoClose=3  
PUBLIC CONST wdAutoExec=0  
PUBLIC CONST wdAutoExit=4  
PUBLIC CONST wdAutoNew=1  
PUBLIC CONST wdAutoOpen=2  
PUBLIC CONST wdAutoPosition=0  
PUBLIC CONST wdAutoRecoverPath=5  
PUBLIC CONST wdAutoVersionOff=0  
PUBLIC CONST wdAutoVersionOnClose=1  
PUBLIC CONST wdAutomaticUpdate=3  
PUBLIC CONST wdBackward=-1073741823  
PUBLIC CONST wdBaselineAlignAuto=4  
PUBLIC CONST wdBaselineAlignBaseline=2  
PUBLIC CONST wdBaselineAlignCenter=1  
PUBLIC CONST wdBaselineAlignFarEast50=3  
PUBLIC CONST wdBaselineAlignTop=0  
PUBLIC CONST wdBasque=1069  
PUBLIC CONST wdBelgianDutch=2067  
PUBLIC CONST wdBelgianFrench=2060  
PUBLIC CONST wdBeneathText=1  
PUBLIC CONST wdBlack=1  
PUBLIC CONST wdBlue=2  
PUBLIC CONST wdBorderArtPath=19  
PUBLIC CONST wdBorderBottom=-3  
PUBLIC CONST wdBorderDiagonalDown=-7  
PUBLIC CONST wdBorderDiagonalUp=-8  
PUBLIC CONST wdBorderDistanceFromPageEdge=1  
PUBLIC CONST wdBorderDistanceFromText=0  
PUBLIC CONST wdBorderHorizontal=-5  
PUBLIC CONST wdBorderLeft=-2

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdBorderRight=-4  
PUBLIC CONST wdBorderTop=-1  
PUBLIC CONST wdBorderVertical=-6  
PUBLIC CONST wdBottomOfPage=0  
PUBLIC CONST wdBrazil=55  
PUBLIC CONST wdBrazilianPortuguese=1046  
PUBLIC CONST wdBrightGreen=4  
PUBLIC CONST wdBrowseComment=3  
PUBLIC CONST wdBrowseEdit=10  
PUBLIC CONST wdBrowseEndnote=5  
PUBLIC CONST wdBrowseField=6  
PUBLIC CONST wdBrowseFind=11  
PUBLIC CONST wdBrowseFootnote=4  
PUBLIC CONST wdBrowseGoTo=12  
PUBLIC CONST wdBrowseGraphic=8  
PUBLIC CONST wdBrowseHeading=9  
PUBLIC CONST wdBrowsePage=1  
PUBLIC CONST wdBrowseSection=2  
PUBLIC CONST wdBrowseTable=7  
PUBLIC CONST wdBulgarian=1026  
PUBLIC CONST wdBulletGallery=1  
PUBLIC CONST wdByAuthor=-1  
PUBLIC CONST wdByelorussian=1059  
PUBLIC CONST wdCalculationText=5  
PUBLIC CONST wdCanada=2  
PUBLIC CONST wdCancelDisabled=0  
PUBLIC CONST wdCancelInterrupt=1  
PUBLIC CONST wdCancelPublisher=0  
PUBLIC CONST wdCapsLock=21  
PUBLIC CONST wdCaptionEquation=-3  
PUBLIC CONST wdCaptionFigure=-1  
PUBLIC CONST wdCaptionNumberStyleArabic=0  
PUBLIC CONST wdCaptionNumberStyleArabicFullWidth=14  
PUBLIC CONST wdCaptionNumberStyleChosung=25  
PUBLIC CONST wdCaptionNumberStyleGanada=24  
PUBLIC CONST wdCaptionNumberStyleHanjaRead=41  
PUBLIC CONST wdCaptionNumberStyleHanjaReadDigit=42  
PUBLIC CONST wdCaptionNumberStyleKanji=10

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdCaptionNumberStyleKanjiDigit=11  
PUBLIC CONST wdCaptionNumberStyleKanjiTraditional=16  
PUBLIC CONST wdCaptionNumberStyleLowercaseLetter=4  
PUBLIC CONST wdCaptionNumberStyleLowercaseRoman=2  
PUBLIC CONST wdCaptionNumberStyleNumberInCircle=18  
PUBLIC CONST wdCaptionNumberStyleSimpChinNum2=38  
PUBLIC CONST wdCaptionNumberStyleSimpChinNum3=39  
PUBLIC CONST wdCaptionNumberStyleTradChinNum2=34  
PUBLIC CONST wdCaptionNumberStyleTradChinNum3=35  
PUBLIC CONST wdCaptionNumberStyleUppercaseLetter=3  
PUBLIC CONST wdCaptionNumberStyleUppercaseRoman=1  
PUBLIC CONST wdCaptionNumberStyleZodiac1=30  
PUBLIC CONST wdCaptionNumberStyleZodiac2=31  
PUBLIC CONST wdCaptionPositionAbove=0  
PUBLIC CONST wdCaptionPositionBelow=1  
PUBLIC CONST wdCaptionTable=-2  
PUBLIC CONST wdCatalan=1027  
PUBLIC CONST wdCatalog=3  
PUBLIC CONST wdCell=12  
PUBLIC CONST wdCellAlignVerticalBottom=3  
PUBLIC CONST wdCellAlignVerticalCenter=1  
PUBLIC CONST wdCellAlignVerticalTop=0  
PUBLIC CONST wdCenterClockwise=7  
PUBLIC CONST wdCenterLandscape=4  
PUBLIC CONST wdCenterPortrait=1  
PUBLIC CONST wdCentimeters=1  
PUBLIC CONST wdChangeAttributes=5  
PUBLIC CONST wdCharacter=1  
PUBLIC CONST wdCharacterFormatting=13  
PUBLIC CONST wdChile=56  
PUBLIC CONST wdChina=86  
PUBLIC CONST wdCollapseEnd=0  
PUBLIC CONST wdCollapseStart=1  
PUBLIC CONST wdColumn=9  
PUBLIC CONST wdColumnBreak=8  
PUBLIC CONST wdCommentsStory=4  
PUBLIC CONST wdContentText=-1  
PUBLIC CONST wdContinueDisabled=0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdContinueList=2  
PUBLIC CONST wdConvMailMergeEsc=6  
PUBLIC CONST wdCreatorCode=1297307460  
PUBLIC CONST wdCroatian=1050  
PUBLIC CONST wdCurrencyCode=20  
PUBLIC CONST wdCurrentDateText=3  
PUBLIC CONST wdCurrentFolderPath=14  
PUBLIC CONST wdCurrentTimeText=4  
PUBLIC CONST wdCursorIBeam=1  
PUBLIC CONST wdCursorNormal=2  
PUBLIC CONST wdCursorNorthwestArrow=3  
PUBLIC CONST wdCursorWait=0  
PUBLIC CONST wdCustomLabelA4=2  
PUBLIC CONST wdCustomLabelA4LS=3  
PUBLIC CONST wdCustomLabelA5=4  
PUBLIC CONST wdCustomLabelA5LS=5  
PUBLIC CONST wdCustomLabelB5=6  
PUBLIC CONST wdCustomLabelFanfold=8  
PUBLIC CONST wdCustomLabelLetter=0  
PUBLIC CONST wdCustomLabelLetterLS=1  
PUBLIC CONST wdCustomLabelMini=7  
PUBLIC CONST wdCzech=1029  
PUBLIC CONST wdDanish=1030  
PUBLIC CONST wdDarkBlue=9  
PUBLIC CONST wdDarkRed=13  
PUBLIC CONST wdDarkYellow=14  
PUBLIC CONST wdDataSource=5  
PUBLIC CONST wdDateSeparator=25  
PUBLIC CONST wdDateText=2  
PUBLIC CONST wdDecimalSeparator=18  
PUBLIC CONST wdDefaultFirstRecord=1  
PUBLIC CONST wdDefaultLastRecord=-16  
PUBLIC CONST wdDeleteCellsEntireColumn=3  
PUBLIC CONST wdDeleteCellsEntireRow=2  
PUBLIC CONST wdDeleteCellsShiftLeft=0  
PUBLIC CONST wdDeleteCellsShiftUp=1  
PUBLIC CONST wdDeletedTextMarkCaret=2  
PUBLIC CONST wdDeletedTextMarkHidden=0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdDeletedTextMarkPound=3  
PUBLIC CONST wdDeletedTextMarkStrikeThrough=1  
PUBLIC CONST wdDenmark=45  
PUBLIC CONST wdDialogConnect=420  
PUBLIC CONST wdDialogControlRun=235  
PUBLIC CONST wdDialogConvertObject=392  
PUBLIC CONST wdDialogCopyFile=300  
PUBLIC CONST wdDialogCreateAutoText=872  
PUBLIC CONST wdDialogDocumentStatistics=78  
PUBLIC CONST wdDialogDrawAlign=634  
PUBLIC CONST wdDialogDrawSnapToGrid=633  
PUBLIC CONST wdDialogEditAutoText=985  
PUBLIC CONST wdDialogEditCreatePublisher=732  
PUBLIC CONST wdDialogEditFind=112  
PUBLIC CONST wdDialogEditGoTo=896  
PUBLIC CONST wdDialogEditGoToOld=811  
PUBLIC CONST wdDialogEditLinks=124  
PUBLIC CONST wdDialogEditObject=125  
PUBLIC CONST wdDialogEditPasteSpecial=111  
PUBLIC CONST wdDialogEditPublishOptions=735  
PUBLIC CONST wdDialogEditReplace=117  
PUBLIC CONST wdDialogEditSubscribeOptions=736  
PUBLIC CONST wdDialogEditSubscribeTo=733  
PUBLIC CONST wdDialogEditTOACategory=625  
PUBLIC CONST wdDialogFileDocumentLayout=178  
PUBLIC CONST wdDialogFileFind=99  
PUBLIC CONST wdDialogFileMacCustomPageSetupGX=737  
PUBLIC CONST wdDialogFileMacPageSetup=685  
PUBLIC CONST wdDialogFileMacPageSetupGX=444  
PUBLIC CONST wdDialogFileNew=79  
PUBLIC CONST wdDialogFileOpen=80  
PUBLIC CONST wdDialogFilePageSetup=178  
PUBLIC CONST wdDialogFilePageSetupTabCharsLines=150004  
PUBLIC CONST wdDialogFilePageSetupTabLayout=150003  
PUBLIC CONST wdDialogFilePageSetupTabMargins=150000  
PUBLIC CONST wdDialogFilePageSetupTabPaperSize=150001  
PUBLIC CONST wdDialogFilePageSetupTabPaperSource=150002  
PUBLIC CONST wdDialogFilePrint=88

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
PUBLIC CONST wdDialogFilePrintOneCopy=445
PUBLIC CONST wdDialogFilePrintSetup=97
PUBLIC CONST wdDialogFileRoutingSlip=624
PUBLIC CONST wdDialogFileSaveAs=84
PUBLIC CONST wdDialogFileSaveVersion=1007
PUBLIC CONST wdDialogFileSummaryInfo=86
PUBLIC CONST wdDialogFileVersions=945
PUBLIC CONST wdDialogFontSubstitution=581
PUBLIC CONST wdDialogFormFieldOptions=353
PUBLIC CONST wdDialogFormatAddrFonts=103
PUBLIC CONST wdDialogFormatBordersAndShading=189
PUBLIC CONST wdDialogFormatBordersAndShadingTabBorders=700000
PUBLIC CONST
wdDialogFormatBordersAndShadingTabPageBorder=700001
PUBLIC CONST wdDialogFormatBordersAndShadingTabShading=700002
PUBLIC CONST wdDialogFormatBulletsAndNumbering=824
PUBLIC CONST wdDialogFormatBulletsAndNumberingTabBulleted=1500000
PUBLIC CONST
wdDialogFormatBulletsAndNumberingTabNumbered=1500001
PUBLIC CONST
wdDialogFormatBulletsAndNumberingTabOutlineNumbered=1500002
PUBLIC CONST wdDialogFormatCallout=610
PUBLIC CONST wdDialogFormatChangeCase=322
PUBLIC CONST wdDialogFormatColumns=177
PUBLIC CONST wdDialogFormatDefineStyleBorders=185
PUBLIC CONST wdDialogFormatDefineStyleFont=181
PUBLIC CONST wdDialogFormatDefineStyleFrame=184
PUBLIC CONST wdDialogFormatDefineStyleLang=186
PUBLIC CONST wdDialogFormatDefineStylePara=182
PUBLIC CONST wdDialogFormatDefineStyleTabs=183
PUBLIC CONST wdDialogFormatDrawingObject=960
PUBLIC CONST
wdDialogFormatDrawingObjectTabColorsAndLines=1200000
PUBLIC CONST wdDialogFormatDrawingObjectTabPicture=1200004
PUBLIC CONST wdDialogFormatDrawingObjectTabPosition=1200002
PUBLIC CONST wdDialogFormatDrawingObjectTabSize=1200001
PUBLIC CONST wdDialogFormatDrawingObjectTabTextbox=1200005
PUBLIC CONST wdDialogFormatDrawingObjectTabWrapping=1200003
PUBLIC CONST wdDialogFormatDropCap=488
PUBLIC CONST wdDialogFormatFont=174
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
PUBLIC CONST wdDialogFormatFontTabAnimation=600002
PUBLIC CONST wdDialogFormatFontTabCharacterSpacing=600001
PUBLIC CONST wdDialogFormatFontTabFont=600000
PUBLIC CONST wdDialogFormatFrame=190
PUBLIC CONST wdDialogFormatPageNumber=298
PUBLIC CONST wdDialogFormatParagraph=175
PUBLIC CONST wdDialogFormatParagraphTabIndentsAndSpacing=1000000
PUBLIC CONST wdDialogFormatParagraphTabTeisai=1000002
PUBLIC CONST wdDialogFormatParagraphTabTextFlow=1000001
PUBLIC CONST wdDialogFormatPicture=187
PUBLIC CONST wdDialogFormatRetAddrFonts=221
PUBLIC CONST wdDialogFormatSectionLayout=176
PUBLIC CONST wdDialogFormatStyle=180
PUBLIC CONST wdDialogFormatStyleGallery=505
PUBLIC CONST wdDialogFormatTabs=179
PUBLIC CONST wdDialogHelpAbout=9
PUBLIC CONST wdDialogHelpWordPerfectHelp=10
PUBLIC CONST wdDialogHelpWordPerfectHelpOptions=511
PUBLIC CONST wdDialogInsertAddCaption=402
PUBLIC CONST wdDialogInsertAutoCaption=359
PUBLIC CONST wdDialogInsertBookmark=168
PUBLIC CONST wdDialogInsertBreak=159
PUBLIC CONST wdDialogInsertCaption=357
PUBLIC CONST wdDialogInsertCaptionNumbering=358
PUBLIC CONST wdDialogInsertCrossReference=367
PUBLIC CONST wdDialogInsertDatabase=341
PUBLIC CONST wdDialogInsertDateTime=165
PUBLIC CONST wdDialogInsertField=166
PUBLIC CONST wdDialogInsertFile=164
PUBLIC CONST wdDialogInsertFootnote=370
PUBLIC CONST wdDialogInsertFormField=483
PUBLIC CONST wdDialogInsertIndex=170
PUBLIC CONST wdDialogInsertIndexAndTables=473
PUBLIC CONST wdDialogInsertIndexAndTablesTabIndex=400000
PUBLIC CONST
wdDialogInsertIndexAndTablesTabTableOfAuthorities=400003
PUBLIC CONST
wdDialogInsertIndexAndTablesTabTableOfContents=400001
PUBLIC CONST wdDialogInsertIndexAndTablesTabTableOfFigures=400002
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdDialogInsertMergeField=167  
PUBLIC CONST wdDialogInsertObject=172  
PUBLIC CONST wdDialogInsertPageNumbers=294  
PUBLIC CONST wdDialogInsertPicture=163  
PUBLIC CONST wdDialogInsertSubdocument=583  
PUBLIC CONST wdDialogInsertSymbol=162  
PUBLIC CONST wdDialogInsertSymbolTabSpecialCharacters=200001  
PUBLIC CONST wdDialogInsertSymbolTabSymbols=200000  
PUBLIC CONST wdDialogInsertTableOfAuthorities=471  
PUBLIC CONST wdDialogInsertTableOfContents=171  
PUBLIC CONST wdDialogInsertTableOfFigures=472  
PUBLIC CONST wdDialogLetterWizard=821  
PUBLIC CONST wdDialogLetterWizardTabLetterFormat=1600000  
PUBLIC CONST wdDialogLetterWizardTabOtherElements=1600002  
PUBLIC CONST wdDialogLetterWizardTabRecipientInfo=1600001  
PUBLIC CONST wdDialogLetterWizardTabSenderInfo=1600003  
PUBLIC CONST wdDialogListCommands=723  
PUBLIC CONST wdDialogMailMerge=676  
PUBLIC CONST wdDialogMailMergeCheck=677  
PUBLIC CONST wdDialogMailMergeCreateDataSource=642  
PUBLIC CONST wdDialogMailMergeCreateHeaderSource=643  
PUBLIC CONST wdDialogMailMergeFindRecord=569  
PUBLIC CONST wdDialogMailMergeHelper=680  
PUBLIC CONST wdDialogMailMergeInsertAsk=4047  
PUBLIC CONST wdDialogMailMergeInsertFillIn=4048  
PUBLIC CONST wdDialogMailMergeInsertIf=4049  
PUBLIC CONST wdDialogMailMergeInsertNextIf=4053  
PUBLIC CONST wdDialogMailMergeInsertSet=4054  
PUBLIC CONST wdDialogMailMergeInsertSkipIf=4055  
PUBLIC CONST wdDialogMailMergeOpenDataSource=81  
PUBLIC CONST wdDialogMailMergeOpenHeaderSource=82  
PUBLIC CONST wdDialogMailMergeQueryOptions=681  
PUBLIC CONST wdDialogMailMergeUseAddressBook=779  
PUBLIC CONST wdDialogMarkCitation=463  
PUBLIC CONST wdDialogMarkIndexEntry=169  
PUBLIC CONST wdDialogMarkTableOfContentsEntry=442  
PUBLIC CONST wdDialogNewToolbar=586  
PUBLIC CONST wdDialogNoteOptions=373

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
PUBLIC CONST wdDialogNoteOptionsTabAllEndnotes=300001
PUBLIC CONST wdDialogNoteOptionsTabAllFootnotes=300000
PUBLIC CONST wdDialogOrganizer=222
PUBLIC CONST wdDialogOrganizerTabAutoText=500001
PUBLIC CONST wdDialogOrganizerTabCommandBars=500002
PUBLIC CONST wdDialogOrganizerTabMacros=500003
PUBLIC CONST wdDialogOrganizerTabStyles=500000
PUBLIC CONST wdDialogTableAutoFormat=563
PUBLIC CONST wdDialogTableDeleteCells=133
PUBLIC CONST wdDialogTableFormatCell=612
PUBLIC CONST wdDialogTableFormula=348
PUBLIC CONST wdDialogTableInsertCells=130
PUBLIC CONST wdDialogTableInsertRow=131
PUBLIC CONST wdDialogTableInsertTable=129
PUBLIC CONST wdDialogTableSort=199
PUBLIC CONST wdDialogTableSplitCells=137
PUBLIC CONST wdDialogTableToText=128
PUBLIC CONST wdDialogTextToTable=127
PUBLIC CONST wdDialogToolsAcceptRejectChanges=506
PUBLIC CONST wdDialogToolsAdvancedSettings=206
PUBLIC CONST wdDialogToolsAutoCorrect=378
PUBLIC CONST wdDialogToolsAutoCorrectExceptions=762
PUBLIC CONST
wdDialogToolsAutoCorrectExceptionsTabFirstLetter=1400000
PUBLIC CONST
wdDialogToolsAutoCorrectExceptionsTabHangulAndAlphabet=1400002
PUBLIC CONST
wdDialogToolsAutoCorrectExceptionsTabInitialCaps=1400001
PUBLIC CONST wdDialogToolsAutoManager=915
PUBLIC CONST wdDialogToolsAutoManagerTabAutoCorrect=1700000
PUBLIC CONST wdDialogToolsAutoManagerTabAutoFormat=1700003
PUBLIC CONST
wdDialogToolsAutoManagerTabAutoFormatAsYouType=1700001
PUBLIC CONST wdDialogToolsAutoManagerTabAutoText=1700002
PUBLIC CONST wdDialogToolsAutoSummarize=874
PUBLIC CONST wdDialogToolsBulletsNumbers=196
PUBLIC CONST wdDialogToolsCompareDocuments=198
PUBLIC CONST wdDialogToolsCreateDirectory=833
PUBLIC CONST wdDialogToolsCreateEnvelope=173
PUBLIC CONST wdDialogToolsCreateLabels=489
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdDialogToolsCustomize=152  
PUBLIC CONST wdDialogToolsCustomizeKeyboard=432  
PUBLIC CONST wdDialogToolsCustomizeMenuBar=615  
PUBLIC CONST wdDialogToolsCustomizeMenus=433  
PUBLIC CONST wdDialogToolsEnvelopesAndLabels=607  
PUBLIC CONST wdDialogToolsEnvelopesAndLabelsTabEnvelopes=800000  
PUBLIC CONST wdDialogToolsEnvelopesAndLabelsTabLabels=800001  
PUBLIC CONST wdDialogToolsHighlightChanges=197  
PUBLIC CONST wdDialogToolsHyphenation=195  
PUBLIC CONST wdDialogToolsLanguage=188  
PUBLIC CONST wdDialogToolsMacro=215  
PUBLIC CONST wdDialogToolsMacroRecord=214  
PUBLIC CONST wdDialogToolsManageFields=631  
PUBLIC CONST wdDialogToolsMergeDocuments=435  
PUBLIC CONST wdDialogToolsOptions=974  
PUBLIC CONST wdDialogToolsOptionsAutoFormat=959  
PUBLIC CONST wdDialogToolsOptionsAutoFormatAsYouType=778  
PUBLIC CONST wdDialogToolsOptionsCompatibility=525  
PUBLIC CONST wdDialogToolsOptionsEdit=224  
PUBLIC CONST wdDialogToolsOptionsFileLocations=225  
PUBLIC CONST wdDialogToolsOptionsFuzzy=790  
PUBLIC CONST wdDialogToolsOptionsGeneral=203  
PUBLIC CONST wdDialogToolsOptionsPrint=208  
PUBLIC CONST wdDialogToolsOptionsSave=209  
PUBLIC CONST wdDialogToolsOptionsSpellingAndGrammar=211  
PUBLIC CONST wdDialogToolsOptionsTabCompatibility=525  
PUBLIC CONST wdDialogToolsOptionsTabEdit=224  
PUBLIC CONST wdDialogToolsOptionsTabFileLocations=225  
PUBLIC CONST wdDialogToolsOptionsTabFuzzy=790  
PUBLIC CONST wdDialogToolsOptionsTabGeneral=203  
PUBLIC CONST wdDialogToolsOptionsTabHangulHanjaConversion=786  
PUBLIC CONST wdDialogToolsOptionsTabPrint=208  
PUBLIC CONST wdDialogToolsOptionsTabProofread=211  
PUBLIC CONST wdDialogToolsOptionsTabSave=209  
PUBLIC CONST wdDialogToolsOptionsTabTrackChanges=386  
PUBLIC CONST wdDialogToolsOptionsTabTypography=739  
PUBLIC CONST wdDialogToolsOptionsTabUserInfo=213  
PUBLIC CONST wdDialogToolsOptionsTabView=204

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdDialogToolsOptionsTrackChanges=386  
PUBLIC CONST wdDialogToolsOptionsTypography=739  
PUBLIC CONST wdDialogToolsOptionsUserInfo=213  
PUBLIC CONST wdDialogToolsOptionsView=204  
PUBLIC CONST wdDialogToolsProtectDocument=503  
PUBLIC CONST wdDialogToolsProtectSection=578  
PUBLIC CONST wdDialogToolsRevisions=197  
PUBLIC CONST wdDialogToolsSpellingAndGrammar=828  
PUBLIC CONST wdDialogToolsTemplates=87  
PUBLIC CONST wdDialogToolsThesaurus=194  
PUBLIC CONST wdDialogToolsUnprotectDocument=521  
PUBLIC CONST wdDialogToolsWordCount=228  
PUBLIC CONST wdDialogUpdateTOC=331  
PUBLIC CONST wdDialogViewZoom=577  
PUBLIC CONST wdDialogWindowActivate=220  
PUBLIC CONST wdDoNotSaveChanges=0  
PUBLIC CONST wdDocumentEmail=2  
PUBLIC CONST wdDocumentLetter=1  
PUBLIC CONST wdDocumentNotSpecified=0  
PUBLIC CONST wdDocumentsPath=0  
PUBLIC CONST wdDontBalanceSingleByteDoubleByteWidth=16  
PUBLIC CONST wdDontULTrailSpace=15  
PUBLIC CONST wdDropMargin=2  
PUBLIC CONST wdDropNone=0  
PUBLIC CONST wdDropNormal=1  
PUBLIC CONST wdDutch=1043  
PUBLIC CONST wdEmphasisMarkNone=0  
PUBLIC CONST wdEmphasisMarkOverComma=2  
PUBLIC CONST wdEmphasisMarkOverSolidCircle=1  
PUBLIC CONST wdEmphasisMarkOverWhiteCircle=3  
PUBLIC CONST wdEmphasisMarkUnderSolidCircle=4  
PUBLIC CONST wdEndOfDocument=1  
PUBLIC CONST wdEndOfRangeColumnNumber=17  
PUBLIC CONST wdEndOfRangeRowNumber=14  
PUBLIC CONST wdEndOfSection=0  
PUBLIC CONST wdEndnoteNumber=6  
PUBLIC CONST wdEndnoteNumberFormatted=17  
PUBLIC CONST wdEndnotesStory=3

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdEnglishAUS=3081  
PUBLIC CONST wdEnglishCanadian=4105  
PUBLIC CONST wdEnglishNewZealand=5129  
PUBLIC CONST wdEnglishSouthAfrica=7177  
PUBLIC CONST wdEnglishUK=2057  
PUBLIC CONST wdEnglishUS=1033  
PUBLIC CONST wdEntireCaption=2  
PUBLIC CONST wdEnvelopes=2  
PUBLIC CONST wdEstonian=1061  
PUBLIC CONST wdEvenPagesFooterStory=8  
PUBLIC CONST wdEvenPagesHeaderStory=6  
PUBLIC CONST wdExactOnTop=28  
PUBLIC CONST wdExpandShiftReturn=14  
PUBLIC CONST wdExtend=1  
PUBLIC CONST wdFarEastLineBreakLevelCustom=2  
PUBLIC CONST wdFarEastLineBreakLevelNormal=0  
PUBLIC CONST wdFarEastLineBreakLevelStrict=1  
PUBLIC CONST wdFarsi=1065  
PUBLIC CONST wdFieldAddin=81  
PUBLIC CONST wdFieldAdvance=84  
PUBLIC CONST wdFieldAsk=38  
PUBLIC CONST wdFieldAuthor=17  
PUBLIC CONST wdFieldAutoNum=54  
PUBLIC CONST wdFieldAutoNumLegal=53  
PUBLIC CONST wdFieldAutoNumOutline=52  
PUBLIC CONST wdFieldAutoText=79  
PUBLIC CONST wdFieldAutoTextList=89  
PUBLIC CONST wdFieldBarCode=63  
PUBLIC CONST wdFieldComments=19  
PUBLIC CONST wdFieldCompare=80  
PUBLIC CONST wdFieldCreateDate=21  
PUBLIC CONST wdFieldDDE=45  
PUBLIC CONST wdFieldDDEAuto=46  
PUBLIC CONST wdFieldData=40  
PUBLIC CONST wdFieldDatabase=78  
PUBLIC CONST wdFieldDate=31  
PUBLIC CONST wdFieldDocProperty=85  
PUBLIC CONST wdFieldDocVariable=64

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdFieldEditTime=25  
PUBLIC CONST wdFieldEmbed=58  
PUBLIC CONST wdFieldEmpty=-1  
PUBLIC CONST wdFieldExpression=34  
PUBLIC CONST wdFieldFileName=29  
PUBLIC CONST wdFieldFileSize=69  
PUBLIC CONST wdFieldFillIn=39  
PUBLIC CONST wdFieldFootnoteRef=5  
PUBLIC CONST wdFieldFormCheckBox=71  
PUBLIC CONST wdFieldFormDropDown=83  
PUBLIC CONST wdFieldFormTextInput=70  
PUBLIC CONST wdFieldFormula=49  
PUBLIC CONST wdFieldGlossary=47  
PUBLIC CONST wdFieldGoToButton=50  
PUBLIC CONST wdFieldHTMLActiveX=91  
PUBLIC CONST wdFieldHyperlink=88  
PUBLIC CONST wdFieldIf=7  
PUBLIC CONST wdFieldImport=55  
PUBLIC CONST wdFieldInclude=36  
PUBLIC CONST wdFieldIncludePicture=67  
PUBLIC CONST wdFieldIncludeText=68  
PUBLIC CONST wdFieldIndex=8  
PUBLIC CONST wdFieldIndexEntry=4  
PUBLIC CONST wdFieldInfo=14  
PUBLIC CONST wdFieldKeyWord=18  
PUBLIC CONST wdFieldKindCold=3  
PUBLIC CONST wdFieldKindHot=1  
PUBLIC CONST wdFieldKindNone=0  
PUBLIC CONST wdFieldKindWarm=2  
PUBLIC CONST wdFieldLastSavedBy=20  
PUBLIC CONST wdFieldLink=56  
PUBLIC CONST wdFieldListNum=90  
PUBLIC CONST wdFieldMacroButton=51  
PUBLIC CONST wdFieldMergeField=59  
PUBLIC CONST wdFieldMergeRec=44  
PUBLIC CONST wdFieldMergeSeq=75  
PUBLIC CONST wdFieldNext=41  
PUBLIC CONST wdFieldNextIf=42

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdFieldNoteRef=72  
PUBLIC CONST wdFieldNumChars=28  
PUBLIC CONST wdFieldNumPages=26  
PUBLIC CONST wdFieldNumWords=27  
PUBLIC CONST wdFieldOCX=87  
PUBLIC CONST wdFieldPage=33  
PUBLIC CONST wdFieldPageRef=37  
PUBLIC CONST wdFieldPrint=48  
PUBLIC CONST wdFieldPrintDate=23  
PUBLIC CONST wdFieldPrivate=77  
PUBLIC CONST wdFieldQuote=35  
PUBLIC CONST wdFieldRef=3  
PUBLIC CONST wdFieldRefDoc=11  
PUBLIC CONST wdFieldRevisionNum=24  
PUBLIC CONST wdFieldSaveDate=22  
PUBLIC CONST wdFieldSection=65  
PUBLIC CONST wdFieldSectionPages=66  
PUBLIC CONST wdFieldSequence=12  
PUBLIC CONST wdFieldSet=6  
PUBLIC CONST wdFieldShadingAlways=1  
PUBLIC CONST wdFieldShadingNever=0  
PUBLIC CONST wdFieldShadingWhenSelected=2  
PUBLIC CONST wdFieldSkipIf=43  
PUBLIC CONST wdFieldStyleRef=10  
PUBLIC CONST wdFieldSubject=16  
PUBLIC CONST wdFieldSubscriber=82  
PUBLIC CONST wdFieldSymbol=57  
PUBLIC CONST wdFieldTOA=73  
PUBLIC CONST wdFieldTOAEntry=74  
PUBLIC CONST wdFieldTOC=13  
PUBLIC CONST wdFieldTOCEntry=9  
PUBLIC CONST wdFieldTemplate=30  
PUBLIC CONST wdFieldTime=32  
PUBLIC CONST wdFieldTitle=15  
PUBLIC CONST wdFieldUserAddress=62  
PUBLIC CONST wdFieldUserInitials=61  
PUBLIC CONST wdFieldUserName=60  
PUBLIC CONST wdFindAsk=2

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdFindContinue=1  
PUBLIC CONST wdFindStop=0  
PUBLIC CONST wdFinland=358  
PUBLIC CONST wdFinnish=1035  
PUBLIC CONST wdFirst=1  
PUBLIC CONST wdFirstCharacterColumnNumber=9  
PUBLIC CONST wdFirstCharacterLineNumber=10  
PUBLIC CONST wdFirstPageFooterStory=11  
PUBLIC CONST wdFirstPageHeaderStory=10  
PUBLIC CONST wdFirstRecord=-4  
PUBLIC CONST wdFloatOverText=1  
PUBLIC CONST wdFontBiasDefault=0  
PUBLIC CONST wdFontBiasDontCare=255  
PUBLIC CONST wdFontBiasFareast=1  
PUBLIC CONST wdFootnoteNumber=5  
PUBLIC CONST wdFootnoteNumberFormatted=16  
PUBLIC CONST wdFootnotesStory=2  
PUBLIC CONST wdFormLetters=0  
PUBLIC CONST wdFormatDOSText=4  
PUBLIC CONST wdFormatDOSTextLineBreaks=5  
PUBLIC CONST wdFormatDocument=0  
PUBLIC CONST wdFormatRTF=6  
PUBLIC CONST wdFormatTemplate=1  
PUBLIC CONST wdFormatText=2  
PUBLIC CONST wdFormatTextLineBreaks=3  
PUBLIC CONST wdFormatUnicodeText=7  
PUBLIC CONST wdForward=1073741823  
PUBLIC CONST wdFrameAtLeast=1  
PUBLIC CONST wdFrameAuto=0  
PUBLIC CONST wdFrameBottom=-999997  
PUBLIC CONST wdFrameCenter=-999995  
PUBLIC CONST wdFrameExact=2  
PUBLIC CONST wdFrameInside=-999994  
PUBLIC CONST wdFrameIsSelected=11  
PUBLIC CONST wdFrameLeft=-999998  
PUBLIC CONST wdFrameOutside=-999993  
PUBLIC CONST wdFrameRight=-999996  
PUBLIC CONST wdFrameTop=-999999

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdFrance=33  
PUBLIC CONST wdFrench=1036  
PUBLIC CONST wdFrenchCanadian=3084  
PUBLIC CONST wdFullBlock=0  
PUBLIC CONST wdFullWidth=7  
PUBLIC CONST wdGenderFemale=0  
PUBLIC CONST wdGenderMale=1  
PUBLIC CONST wdGenderNeutral=2  
PUBLIC CONST wdGenderUnknown=3  
PUBLIC CONST wdGerman=1031  
PUBLIC CONST wdGermany=49  
PUBLIC CONST wdGlobalTemplate=1  
PUBLIC CONST wdGoToAbsolute=1  
PUBLIC CONST wdGoToBookmark=-1  
PUBLIC CONST wdGoToComment=6  
PUBLIC CONST wdGoToEndnote=5  
PUBLIC CONST wdGoToEquation=10  
PUBLIC CONST wdGoToField=7  
PUBLIC CONST wdGoToFirst=1  
PUBLIC CONST wdGoToFootnote=4  
PUBLIC CONST wdGoToGrammaticalError=14  
PUBLIC CONST wdGoToGraphic=8  
PUBLIC CONST wdGoToHeading=11  
PUBLIC CONST wdGoToLast=-1  
PUBLIC CONST wdGoToLine=3  
PUBLIC CONST wdGoToNext=2  
PUBLIC CONST wdGoToObject=9  
PUBLIC CONST wdGoToPage=1  
PUBLIC CONST wdGoToPercent=12  
PUBLIC CONST wdGoToPrevious=3  
PUBLIC CONST wdGoToProofreadingError=15  
PUBLIC CONST wdGoToRelative=2  
PUBLIC CONST wdGoToSection=0  
PUBLIC CONST wdGoToSpellingError=13  
PUBLIC CONST wdGoToTable=2  
PUBLIC CONST wdGrammar=1  
PUBLIC CONST wdGrammaticalError=1  
PUBLIC CONST wdGraphicsFiltersPath=10

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdGray25=16  
PUBLIC CONST wdGray50=15  
PUBLIC CONST wdGreek=1032  
PUBLIC CONST wdGreen=11  
PUBLIC CONST wdHalfWidth=6  
PUBLIC CONST wdHangulHanjaConversion=8  
PUBLIC CONST wdHangulHanjaConversionCustom=9  
PUBLIC CONST wdHangulToHanja=0  
PUBLIC CONST wdHanjaToHangul=1  
PUBLIC CONST wdHeaderFooterEvenPages=3  
PUBLIC CONST wdHeaderFooterFirstPage=2  
PUBLIC CONST wdHeaderFooterPrimary=1  
PUBLIC CONST wdHeaderFooterType=33  
PUBLIC CONST wdHeadingSeparatorBlankLine=1  
PUBLIC CONST wdHeadingSeparatorLetter=2  
PUBLIC CONST wdHeadingSeparatorLetterFull=4  
PUBLIC CONST wdHeadingSeparatorLetterLow=3  
PUBLIC CONST wdHeadingSeparatorNone=0  
PUBLIC CONST wdHebrew=1037  
PUBLIC CONST wdHelp=0  
PUBLIC CONST wdHelpAbout=1  
PUBLIC CONST wdHelpActiveWindow=2  
PUBLIC CONST wdHelpContents=3  
PUBLIC CONST wdHelpExamplesAndDemos=4  
PUBLIC CONST wdHelpIchitaro=11  
PUBLIC CONST wdHelpIndex=5  
PUBLIC CONST wdHelpKeyboard=6  
PUBLIC CONST wdHelpPE2=12  
PUBLIC CONST wdHelpPSSHelp=7  
PUBLIC CONST wdHelpQuickPreview=8  
PUBLIC CONST wdHelpSearch=9  
PUBLIC CONST wdHelpUsingHelp=10  
PUBLIC CONST wdHiragana=9  
PUBLIC CONST wdHorizontalPositionRelativeToPage=5  
PUBLIC CONST wdHorizontalPositionRelativeToTextBoundary=7  
PUBLIC CONST wdHungarian=1038  
PUBLIC CONST wdHyphenation=3  
PUBLIC CONST wdIMEModeAlpha=8

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdIMEModeAlphaFull=7  
PUBLIC CONST wdIMEModeHangul=10  
PUBLIC CONST wdIMEModeHangulFull=9  
PUBLIC CONST wdIMEModeHiragana=4  
PUBLIC CONST wdIMEModeKatakana=5  
PUBLIC CONST wdIMEModeKatakanaHalf=6  
PUBLIC CONST wdIMEModeNoControl=0  
PUBLIC CONST wdIMEModeOff=2  
PUBLIC CONST wdIMEModeOn=1  
PUBLIC CONST wdIceland=354  
PUBLIC CONST wdIcelandic=1039  
PUBLIC CONST wdIcons=1  
PUBLIC CONST wdInClipboard=38  
PUBLIC CONST wdInCommentPane=26  
PUBLIC CONST wdInEndnote=36  
PUBLIC CONST wdInFootnote=35  
PUBLIC CONST wdInFootnoteEndnotePane=25  
PUBLIC CONST wdInHeaderFooter=28  
PUBLIC CONST wdInLine=0  
PUBLIC CONST wdInMasterDocument=34  
PUBLIC CONST wdInWordMail=37  
PUBLIC CONST wdInches=0  
PUBLIC CONST wdIndexBulleted=4  
PUBLIC CONST wdIndexClassic=1  
PUBLIC CONST wdIndexFancy=2  
PUBLIC CONST wdIndexFilterAiueo=1  
PUBLIC CONST wdIndexFilterAkasatana=2  
PUBLIC CONST wdIndexFilterChosung=3  
PUBLIC CONST wdIndexFilterFull=6  
PUBLIC CONST wdIndexFilterLow=4  
PUBLIC CONST wdIndexFilterMedium=5  
PUBLIC CONST wdIndexFilterNone=0  
PUBLIC CONST wdIndexFormal=5  
PUBLIC CONST wdIndexIndent=0  
PUBLIC CONST wdIndexModern=3  
PUBLIC CONST wdIndexRunin=1  
PUBLIC CONST wdIndexSimple=6  
PUBLIC CONST wdIndexSortByStroke=0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdIndexSortBySyllable=1  
PUBLIC CONST wdIndexTemplate=0  
PUBLIC CONST wdInlineShapeEmbeddedOLEObject=1  
PUBLIC CONST wdInlineShapeLinkedOLEObject=2  
PUBLIC CONST wdInlineShapeLinkedPicture=4  
PUBLIC CONST wdInlineShapeOLEControlObject=5  
PUBLIC CONST wdInlineShapePicture=3  
PUBLIC CONST wdInsertCellsEntireColumn=3  
PUBLIC CONST wdInsertCellsEntireRow=2  
PUBLIC CONST wdInsertCellsShiftDown=1  
PUBLIC CONST wdInsertCellsShiftRight=0  
PUBLIC CONST wdInsertedTextMarkBold=1  
PUBLIC CONST wdInsertedTextMarkDoubleUnderline=4  
PUBLIC CONST wdInsertedTextMarkItalic=2  
PUBLIC CONST wdInsertedTextMarkNone=0  
PUBLIC CONST wdInsertedTextMarkUnderline=3  
PUBLIC CONST wdInternationalAM=22  
PUBLIC CONST wdInternationalPM=23  
PUBLIC CONST wdItalian=1040  
PUBLIC CONST wdItaly=39  
PUBLIC CONST wdItem=16  
PUBLIC CONST wdJapan=81  
PUBLIC CONST wdJapanese=1041  
PUBLIC CONST wdJustificationModeCompress=1  
PUBLIC CONST wdJustificationModeCompressKana=2  
PUBLIC CONST wdJustificationModeExpand=0  
PUBLIC CONST wdKatakana=8  
PUBLIC CONST wdKey0=48  
PUBLIC CONST wdKey1=49  
PUBLIC CONST wdKey2=50  
PUBLIC CONST wdKey3=51  
PUBLIC CONST wdKey4=52  
PUBLIC CONST wdKey5=53  
PUBLIC CONST wdKey6=54  
PUBLIC CONST wdKey7=55  
PUBLIC CONST wdKey8=56  
PUBLIC CONST wdKey9=57  
PUBLIC CONST wdKeyA=65

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdKeyAlt=1024  
PUBLIC CONST wdKeyB=66  
PUBLIC CONST wdKeyBackSingleQuote=192  
PUBLIC CONST wdKeyBackSlash=220  
PUBLIC CONST wdKeyBackspace=8  
PUBLIC CONST wdKeyC=67  
PUBLIC CONST wdKeyCategoryAutoText=4  
PUBLIC CONST wdKeyCategoryCommand=1  
PUBLIC CONST wdKeyCategoryDisable=0  
PUBLIC CONST wdKeyCategoryFont=3  
PUBLIC CONST wdKeyCategoryMacro=2  
PUBLIC CONST wdKeyCategoryNil=-1  
PUBLIC CONST wdKeyCategoryPrefix=7  
PUBLIC CONST wdKeyCategoryStyle=5  
PUBLIC CONST wdKeyCategorySymbol=6  
PUBLIC CONST wdKeyCloseSquareBrace=221  
PUBLIC CONST wdKeyComma=188  
PUBLIC CONST wdKeyCommand=512  
PUBLIC CONST wdKeyControl=512  
PUBLIC CONST wdKeyD=68  
PUBLIC CONST wdKeyDelete=46  
PUBLIC CONST wdKeyE=69  
PUBLIC CONST wdKeyEnd=35  
PUBLIC CONST wdKeyEquals=187  
PUBLIC CONST wdKeyEsc=27  
PUBLIC CONST wdKeyF=70  
PUBLIC CONST wdKeyF1=112  
PUBLIC CONST wdKeyF10=121  
PUBLIC CONST wdKeyF11=122  
PUBLIC CONST wdKeyF12=123  
PUBLIC CONST wdKeyF13=124  
PUBLIC CONST wdKeyF14=125  
PUBLIC CONST wdKeyF15=126  
PUBLIC CONST wdKeyF16=127  
PUBLIC CONST wdKeyF2=113  
PUBLIC CONST wdKeyF3=114  
PUBLIC CONST wdKeyF4=115  
PUBLIC CONST wdKeyF5=116

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdKeyF6=117  
PUBLIC CONST wdKeyF7=118  
PUBLIC CONST wdKeyF8=119  
PUBLIC CONST wdKeyF9=120  
PUBLIC CONST wdKeyG=71  
PUBLIC CONST wdKeyH=72  
PUBLIC CONST wdKeyHome=36  
PUBLIC CONST wdKeyHyphen=189  
PUBLIC CONST wdKeyI=73  
PUBLIC CONST wdKeyInsert=45  
PUBLIC CONST wdKeyJ=74  
PUBLIC CONST wdKeyK=75  
PUBLIC CONST wdKeyL=76  
PUBLIC CONST wdKeyM=77  
PUBLIC CONST wdKeyN=78  
PUBLIC CONST wdKeyNumeric0=96  
PUBLIC CONST wdKeyNumeric1=97  
PUBLIC CONST wdKeyNumeric2=98  
PUBLIC CONST wdKeyNumeric3=99  
PUBLIC CONST wdKeyNumeric4=100  
PUBLIC CONST wdKeyNumeric5=101  
PUBLIC CONST wdKeyNumeric5Special=12  
PUBLIC CONST wdKeyNumeric6=102  
PUBLIC CONST wdKeyNumeric7=103  
PUBLIC CONST wdKeyNumeric8=104  
PUBLIC CONST wdKeyNumeric9=105  
PUBLIC CONST wdKeyNumericAdd=107  
PUBLIC CONST wdKeyNumericDecimal=110  
PUBLIC CONST wdKeyNumericDivide=111  
PUBLIC CONST wdKeyNumericMultiply=106  
PUBLIC CONST wdKeyNumericSubtract=109  
PUBLIC CONST wdKeyO=79  
PUBLIC CONST wdKeyOpenSquareBrace=219  
PUBLIC CONST wdKeyOption=1024  
PUBLIC CONST wdKeyP=80  
PUBLIC CONST wdKeyPageDown=34  
PUBLIC CONST wdKeyPageUp=33  
PUBLIC CONST wdKeyPause=19

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdKeyPeriod=190  
PUBLIC CONST wdKeyQ=81  
PUBLIC CONST wdKeyR=82  
PUBLIC CONST wdKeyReturn=13  
PUBLIC CONST wdKeyS=83  
PUBLIC CONST wdKeyScrollLock=145  
PUBLIC CONST wdKeySemiColon=186  
PUBLIC CONST wdKeyShift=256  
PUBLIC CONST wdKeySingleQuote=222  
PUBLIC CONST wdKeySlash=191  
PUBLIC CONST wdKeySpacebar=32  
PUBLIC CONST wdKeyT=84  
PUBLIC CONST wdKeyTab=9  
PUBLIC CONST wdKeyU=85  
PUBLIC CONST wdKeyV=86  
PUBLIC CONST wdKeyW=87  
PUBLIC CONST wdKeyX=88  
PUBLIC CONST wdKeyY=89  
PUBLIC CONST wdKeyZ=90  
PUBLIC CONST wdKorea=82  
PUBLIC CONST wdKorean=1042  
PUBLIC CONST wdLanguageNone=0  
PUBLIC CONST wdLastRecord=-5  
PUBLIC CONST wdLatinAmerica=3  
PUBLIC CONST wdLatvian=1062  
PUBLIC CONST wdLeaveBackslashAlone=13  
PUBLIC CONST wdLeftClockwise=6  
PUBLIC CONST wdLeftLandscape=3  
PUBLIC CONST wdLeftPortrait=0  
PUBLIC CONST wdLetterBottom=1  
PUBLIC CONST wdLetterLeft=2  
PUBLIC CONST wdLetterRight=3  
PUBLIC CONST wdLetterTop=0  
PUBLIC CONST wdLine=5  
PUBLIC CONST wdLineBreak=6  
PUBLIC CONST wdLineSpace1pt5=1  
PUBLIC CONST wdLineSpaceAtLeast=3  
PUBLIC CONST wdLineSpaceDouble=2

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
PUBLIC CONST wdLineStyleExactly=4
PUBLIC CONST wdLineStyleMultiple=5
PUBLIC CONST wdLineStyleSingle=0
PUBLIC CONST wdLineStyleDashDot=5
PUBLIC CONST wdLineStyleDashDotDot=6
PUBLIC CONST wdLineStyleDashDotStroked=20
PUBLIC CONST wdLineStyleDashLargeGap=4
PUBLIC CONST wdLineStyleDashSmallGap=3
PUBLIC CONST wdLineStyleDot=2
PUBLIC CONST wdLineStyleDouble=7
PUBLIC CONST wdLineStyleDoubleWavy=19
PUBLIC CONST wdLineStyleEmboss3D=21
PUBLIC CONST wdLineStyleEngrave3D=22
PUBLIC CONST wdLineStyleNone=0
PUBLIC CONST wdLineStyleSingle=1
PUBLIC CONST wdLineStyleSingleWavy=18
PUBLIC CONST wdLineStyleThickThinLargeGap=16
PUBLIC CONST wdLineStyleThickThinMedGap=13
PUBLIC CONST wdLineStyleThickThinSmallGap=10
PUBLIC CONST wdLineStyleThinThickLargeGap=15
PUBLIC CONST wdLineStyleThinThickMedGap=12
PUBLIC CONST wdLineStyleThinThickSmallGap=9
PUBLIC CONST wdLineStyleThinThickThinLargeGap=17
PUBLIC CONST wdLineStyleThinThickThinMedGap=14
PUBLIC CONST wdLineStyleThinThickThinSmallGap=11
PUBLIC CONST wdLineStyleTriple=8
PUBLIC CONST wdLineWidth025pt=2
PUBLIC CONST wdLineWidth050pt=4
PUBLIC CONST wdLineWidth075pt=6
PUBLIC CONST wdLineWidth100pt=8
PUBLIC CONST wdLineWidth150pt=12
PUBLIC CONST wdLineWidth225pt=18
PUBLIC CONST wdLineWidth300pt=24
PUBLIC CONST wdLineWidth450pt=36
PUBLIC CONST wdLineWidth600pt=48
PUBLIC CONST wdLineWrapLikeWord6=32
PUBLIC CONST wdLinkDataInDoc=1
PUBLIC CONST wdLinkDataOnDisk=2
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdLinkNone=0  
PUBLIC CONST wdLinkTypeDDE=6  
PUBLIC CONST wdLinkTypeDDEAuto=7  
PUBLIC CONST wdLinkTypeImport=5  
PUBLIC CONST wdLinkTypeInclude=4  
PUBLIC CONST wdLinkTypeOLE=0  
PUBLIC CONST wdLinkTypePicture=1  
PUBLIC CONST wdLinkTypeReference=3  
PUBLIC CONST wdLinkTypeText=2  
PUBLIC CONST wdListApplyToSelection=2  
PUBLIC CONST wdListApplyToThisPointForward=1  
PUBLIC CONST wdListApplyToWholeList=0  
PUBLIC CONST wdListBullet=2  
PUBLIC CONST wdListLevelAlignCenter=1  
PUBLIC CONST wdListLevelAlignLeft=0  
PUBLIC CONST wdListLevelAlignRight=2  
PUBLIC CONST wdListListNumOnly=1  
PUBLIC CONST wdListMixedNumbering=5  
PUBLIC CONST wdListNoNumbering=0  
PUBLIC CONST wdListNumberStyleAiueo=20  
PUBLIC CONST wdListNumberStyleAiueoHalfWidth=12  
PUBLIC CONST wdListNumberStyleArabic=0  
PUBLIC CONST wdListNumberStyleArabicFullWidth=14  
PUBLIC CONST wdListNumberStyleArabicLZ=22  
PUBLIC CONST wdListNumberStyleBullet=23  
PUBLIC CONST wdListNumberStyleCardinalText=6  
PUBLIC CONST wdListNumberStyleChosung=25  
PUBLIC CONST wdListNumberStyleGBNum1=26  
PUBLIC CONST wdListNumberStyleGBNum2=27  
PUBLIC CONST wdListNumberStyleGBNum3=28  
PUBLIC CONST wdListNumberStyleGBNum4=29  
PUBLIC CONST wdListNumberStyleGanada=24  
PUBLIC CONST wdListNumberStyleHangul=43  
PUBLIC CONST wdListNumberStyleHanja=44  
PUBLIC CONST wdListNumberStyleHanjaRead=41  
PUBLIC CONST wdListNumberStyleHanjaReadDigit=42  
PUBLIC CONST wdListNumberStyleIroha=21  
PUBLIC CONST wdListNumberStyleIrohaHalfWidth=13

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdListNumberStyleKanji=10  
PUBLIC CONST wdListNumberStyleKanjiDigit=11  
PUBLIC CONST wdListNumberStyleKanjiTraditional=16  
PUBLIC CONST wdListNumberStyleKanjiTraditional2=17  
PUBLIC CONST wdListNumberStyleLegal=253  
PUBLIC CONST wdListNumberStyleLegalLZ=254  
PUBLIC CONST wdListNumberStyleLowercaseLetter=4  
PUBLIC CONST wdListNumberStyleLowercaseRoman=2  
PUBLIC CONST wdListNumberStyleNone=255  
PUBLIC CONST wdListNumberStyleNumberInCircle=18  
PUBLIC CONST wdListNumberStyleOrdinal=5  
PUBLIC CONST wdListNumberStyleOrdinalText=7  
PUBLIC CONST wdListNumberStyleSimpChinNum1=37  
PUBLIC CONST wdListNumberStyleSimpChinNum2=38  
PUBLIC CONST wdListNumberStyleSimpChinNum3=39  
PUBLIC CONST wdListNumberStyleSimpChinNum4=40  
PUBLIC CONST wdListNumberStyleTradChinNum1=33  
PUBLIC CONST wdListNumberStyleTradChinNum2=34  
PUBLIC CONST wdListNumberStyleTradChinNum3=35  
PUBLIC CONST wdListNumberStyleTradChinNum4=36  
PUBLIC CONST wdListNumberStyleUppercaseLetter=3  
PUBLIC CONST wdListNumberStyleUppercaseRoman=1  
PUBLIC CONST wdListNumberStyleZodiac1=30  
PUBLIC CONST wdListNumberStyleZodiac2=31  
PUBLIC CONST wdListNumberStyleZodiac3=32  
PUBLIC CONST wdListOutlineNumbering=4  
PUBLIC CONST wdListSeparator=17  
PUBLIC CONST wdListSimpleNumbering=3  
PUBLIC CONST wdLowerCase=0  
PUBLIC CONST wdMAPI=1  
PUBLIC CONST wdMAPIandPowerTalk=3  
PUBLIC CONST wdMWSmallCaps=22  
PUBLIC CONST wdMacedonian=1071  
PUBLIC CONST wdMailingLabels=1  
PUBLIC CONST wdMainAndDataSource=2  
PUBLIC CONST wdMainAndHeader=3  
PUBLIC CONST wdMainAndSourceAndHeader=4  
PUBLIC CONST wdMainDocumentOnly=1

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdMainTextStory=1  
PUBLIC CONST wdMalaysian=1086  
PUBLIC CONST wdManualUpdate=4  
PUBLIC CONST wdMasterView=5  
PUBLIC CONST wdMatchAnyCharacter=65599  
PUBLIC CONST wdMatchAnyDigit=65567  
PUBLIC CONST wdMatchAnyLetter=65583  
PUBLIC CONST wdMatchCaretCharacter=11  
PUBLIC CONST wdMatchColumnBreak=14  
PUBLIC CONST wdMatchCommentMark=5  
PUBLIC CONST wdMatchEmDash=8212  
PUBLIC CONST wdMatchEnDash=8211  
PUBLIC CONST wdMatchEndnoteMark=65555  
PUBLIC CONST wdMatchField=19  
PUBLIC CONST wdMatchFootnoteMark=65554  
PUBLIC CONST wdMatchGraphic=1  
PUBLIC CONST wdMatchManualLineBreak=65551  
PUBLIC CONST wdMatchManualPageBreak=65564  
PUBLIC CONST wdMatchNonbreakingHyphen=30  
PUBLIC CONST wdMatchNonbreakingSpace=160  
PUBLIC CONST wdMatchOptionalHyphen=31  
PUBLIC CONST wdMatchParagraphMark=65551  
PUBLIC CONST wdMatchSectionBreak=65580  
PUBLIC CONST wdMatchTabCharacter=9  
PUBLIC CONST wdMatchWhiteSpace=65655  
PUBLIC CONST wdMaximumNumberOfColumns=18  
PUBLIC CONST wdMaximumNumberOfRows=15  
PUBLIC CONST wdMergeIfEqual=0  
PUBLIC CONST wdMergeIfGreaterThan=3  
PUBLIC CONST wdMergeIfGreaterThanOrEqual=5  
PUBLIC CONST wdMergeIfIsBlank=6  
PUBLIC CONST wdMergeIfIsNotBlank=7  
PUBLIC CONST wdMergeIfLessThan=2  
PUBLIC CONST wdMergeIfLessThanOrEqual=4  
PUBLIC CONST wdMergeIfNotEqual=1  
PUBLIC CONST wdMergeInfoFromAccessDDE=1  
PUBLIC CONST wdMergeInfoFromExcelDDE=2  
PUBLIC CONST wdMergeInfoFromMSQueryDDE=3

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdMergeInfoFromODBC=4  
PUBLIC CONST wdMergeInfoFromWord=0  
PUBLIC CONST wdMexicanSpanish=2058  
PUBLIC CONST wdMexico=52  
PUBLIC CONST wdMillimeters=2  
PUBLIC CONST wdModifiedBlock=1  
PUBLIC CONST wdMove=0  
PUBLIC CONST wdNetherlands=31  
PUBLIC CONST wdNeverConvert=0  
PUBLIC CONST wdNextCase=-1  
PUBLIC CONST wdNextRecord=-2  
PUBLIC CONST wdNoActiveRecord=-1  
PUBLIC CONST wdNoColumnBalance=5  
PUBLIC CONST wdNoExtraLineSpacing=23  
PUBLIC CONST wdNoHighlight=0  
PUBLIC CONST wdNoKey=255  
PUBLIC CONST wdNoLeading=20  
PUBLIC CONST wdNoMailSystem=0  
PUBLIC CONST wdNoMergeInfo=-1  
PUBLIC CONST wdNoProofing=1024  
PUBLIC CONST wdNoProtection=-1  
PUBLIC CONST wdNoRevision=0  
PUBLIC CONST wdNoSelection=0  
PUBLIC CONST wdNoSpaceForUL=21  
PUBLIC CONST wdNoSpaceRaiseLower=2  
PUBLIC CONST wdNoTabHangIndent=1  
PUBLIC CONST wdNormalDocument=0  
PUBLIC CONST wdNormalTemplate=0  
PUBLIC CONST wdNormalView=1  
PUBLIC CONST wdNorway=47  
PUBLIC CONST wdNorwegianBokmol=1044  
PUBLIC CONST wdNorwegianNynorsk=2068  
PUBLIC CONST wdNotAMergeDocument=-1  
PUBLIC CONST wdNotYetRouted=0  
PUBLIC CONST wdNoteNumberStyleArabic=0  
PUBLIC CONST wdNoteNumberStyleArabicFullWidth=14  
PUBLIC CONST wdNoteNumberStyleHanjaRead=41  
PUBLIC CONST wdNoteNumberStyleHanjaReadDigit=42

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdNoteNumberStyleKanji=10  
PUBLIC CONST wdNoteNumberStyleKanjiDigit=11  
PUBLIC CONST wdNoteNumberStyleKanjiTraditional=16  
PUBLIC CONST wdNoteNumberStyleLowercaseLetter=4  
PUBLIC CONST wdNoteNumberStyleLowercaseRoman=2  
PUBLIC CONST wdNoteNumberStyleNumberInCircle=18  
PUBLIC CONST wdNoteNumberStyleSimpChinNum1=37  
PUBLIC CONST wdNoteNumberStyleSimpChinNum2=38  
PUBLIC CONST wdNoteNumberStyleSymbol=9  
PUBLIC CONST wdNoteNumberStyleTradChinNum1=33  
PUBLIC CONST wdNoteNumberStyleTradChinNum2=34  
PUBLIC CONST wdNoteNumberStyleUppercaseLetter=3  
PUBLIC CONST wdNoteNumberStyleUppercaseRoman=1  
PUBLIC CONST wdNoun=1  
PUBLIC CONST wdNumLock=22  
PUBLIC CONST wdNumberAllNumbers=3  
PUBLIC CONST wdNumberFullContext=-4  
PUBLIC CONST wdNumberGallery=2  
PUBLIC CONST wdNumberListNum=2  
PUBLIC CONST wdNumberNoContext=-3  
PUBLIC CONST wdNumberOfPagesInDocument=4  
PUBLIC CONST wdNumberParagraph=1  
PUBLIC CONST wdNumberRelativeContext=-2  
PUBLIC CONST wdNumberText=1  
PUBLIC CONST wdOLEControl=2  
PUBLIC CONST wdOLEEmbed=1  
PUBLIC CONST wdOLELink=0  
PUBLIC CONST wdOLEVerbDiscardUndoState=-6  
PUBLIC CONST wdOLEVerbHide=-3  
PUBLIC CONST wdOLEVerbInPlaceActivate=-5  
PUBLIC CONST wdOLEVerbOpen=-2  
PUBLIC CONST wdOLEVerbPrimary=0  
PUBLIC CONST wdOLEVerbShow=-1  
PUBLIC CONST wdOLEVerbUIActivate=-4  
PUBLIC CONST wdOneAfterAnother=0  
PUBLIC CONST wdOnlineView=6  
PUBLIC CONST wdOnlyCaptionText=4  
PUBLIC CONST wdOnlyLabelAndNumber=3

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdOpenFormatAuto=0  
PUBLIC CONST wdOpenFormatDocument=1  
PUBLIC CONST wdOpenFormatRTF=3  
PUBLIC CONST wdOpenFormatTemplate=2  
PUBLIC CONST wdOpenFormatText=4  
PUBLIC CONST wdOpenFormatUnicodeText=5  
PUBLIC CONST wdOpenSource=7  
PUBLIC CONST wdOrganizerObjectAutoText=1  
PUBLIC CONST wdOrganizerObjectCommandBars=2  
PUBLIC CONST wdOrganizerObjectProjectItems=3  
PUBLIC CONST wdOrganizerObjectStyles=0  
PUBLIC CONST wdOrientLandscape=1  
PUBLIC CONST wdOrientPortrait=0  
PUBLIC CONST wdOrigWordTableRules=9  
PUBLIC CONST wdOriginalDocumentFormat=1  
PUBLIC CONST wdOutlineLevel1=1  
PUBLIC CONST wdOutlineLevel2=2  
PUBLIC CONST wdOutlineLevel3=3  
PUBLIC CONST wdOutlineLevel4=4  
PUBLIC CONST wdOutlineLevel5=5  
PUBLIC CONST wdOutlineLevel6=6  
PUBLIC CONST wdOutlineLevel7=7  
PUBLIC CONST wdOutlineLevel8=8  
PUBLIC CONST wdOutlineLevel9=9  
PUBLIC CONST wdOutlineLevelBodyText=10  
PUBLIC CONST wdOutlineNumberGallery=3  
PUBLIC CONST wdOutlineView=2  
PUBLIC CONST wdOverType=23  
PUBLIC CONST wdPageBreak=7  
PUBLIC CONST wdPageFitBestFit=2  
PUBLIC CONST wdPageFitFullPage=1  
PUBLIC CONST wdPageFitNone=0  
PUBLIC CONST wdPageNumber=7  
PUBLIC CONST wdPageNumberStyleArabic=0  
PUBLIC CONST wdPageNumberStyleArabicFullWidth=14  
PUBLIC CONST wdPageNumberStyleHanjaRead=41  
PUBLIC CONST wdPageNumberStyleHanjaReadDigit=42  
PUBLIC CONST wdPageNumberStyleKanji=10

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdPageNumberStyleKanjiDigit=11  
PUBLIC CONST wdPageNumberStyleKanjiTraditional=16  
PUBLIC CONST wdPageNumberStyleLowercaseLetter=4  
PUBLIC CONST wdPageNumberStyleLowercaseRoman=2  
PUBLIC CONST wdPageNumberStyleNumberInCircle=18  
PUBLIC CONST wdPageNumberStyleSimpChinNum1=37  
PUBLIC CONST wdPageNumberStyleSimpChinNum2=38  
PUBLIC CONST wdPageNumberStyleTradChinNum1=33  
PUBLIC CONST wdPageNumberStyleTradChinNum2=34  
PUBLIC CONST wdPageNumberStyleUppercaseLetter=3  
PUBLIC CONST wdPageNumberStyleUppercaseRoman=1  
PUBLIC CONST wdPageView=3  
PUBLIC CONST wdPaneComments=15  
PUBLIC CONST wdPaneCurrentPageFooter=17  
PUBLIC CONST wdPaneCurrentPageHeader=16  
PUBLIC CONST wdPaneEndnoteContinuationNotice=12  
PUBLIC CONST wdPaneEndnoteContinuationSeparator=13  
PUBLIC CONST wdPaneEndnoteSeparator=14  
PUBLIC CONST wdPaneEndnotes=8  
PUBLIC CONST wdPaneEvenPagesFooter=6  
PUBLIC CONST wdPaneEvenPagesHeader=3  
PUBLIC CONST wdPaneFirstPageFooter=5  
PUBLIC CONST wdPaneFirstPageHeader=2  
PUBLIC CONST wdPaneFootnoteContinuationNotice=9  
PUBLIC CONST wdPaneFootnoteContinuationSeparator=10  
PUBLIC CONST wdPaneFootnoteSeparator=11  
PUBLIC CONST wdPaneFootnotes=7  
PUBLIC CONST wdPaneNone=0  
PUBLIC CONST wdPanePrimaryFooter=4  
PUBLIC CONST wdPanePrimaryHeader=1  
PUBLIC CONST wdPaper10x14=0  
PUBLIC CONST wdPaper11x17=1  
PUBLIC CONST wdPaperA3=6  
PUBLIC CONST wdPaperA4=7  
PUBLIC CONST wdPaperA4Small=8  
PUBLIC CONST wdPaperA5=9  
PUBLIC CONST wdPaperB4=10  
PUBLIC CONST wdPaperB5=11

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdPaperCSheet=12  
PUBLIC CONST wdPaperCustom=41  
PUBLIC CONST wdPaperDSheet=13  
PUBLIC CONST wdPaperESheet=14  
PUBLIC CONST wdPaperEnvelope10=25  
PUBLIC CONST wdPaperEnvelope11=26  
PUBLIC CONST wdPaperEnvelope12=27  
PUBLIC CONST wdPaperEnvelope14=28  
PUBLIC CONST wdPaperEnvelope9=24  
PUBLIC CONST wdPaperEnvelopeB4=29  
PUBLIC CONST wdPaperEnvelopeB5=30  
PUBLIC CONST wdPaperEnvelopeB6=31  
PUBLIC CONST wdPaperEnvelopeC3=32  
PUBLIC CONST wdPaperEnvelopeC4=33  
PUBLIC CONST wdPaperEnvelopeC5=34  
PUBLIC CONST wdPaperEnvelopeC6=35  
PUBLIC CONST wdPaperEnvelopeC65=36  
PUBLIC CONST wdPaperEnvelopeDL=37  
PUBLIC CONST wdPaperEnvelopeItaly=38  
PUBLIC CONST wdPaperEnvelopeMonarch=39  
PUBLIC CONST wdPaperEnvelopePersonal=40  
PUBLIC CONST wdPaperExecutive=5  
PUBLIC CONST wdPaperFanfoldLegalGerman=15  
PUBLIC CONST wdPaperFanfoldStdGerman=16  
PUBLIC CONST wdPaperFanfoldUS=17  
PUBLIC CONST wdPaperFolio=18  
PUBLIC CONST wdPaperLedger=19  
PUBLIC CONST wdPaperLegal=4  
PUBLIC CONST wdPaperLetter=2  
PUBLIC CONST wdPaperLetterSmall=3  
PUBLIC CONST wdPaperNote=20  
PUBLIC CONST wdPaperQuarto=21  
PUBLIC CONST wdPaperStatement=22  
PUBLIC CONST wdPaperTabloid=23  
PUBLIC CONST wdParagraph=4  
PUBLIC CONST wdParagraphFormatting=14  
PUBLIC CONST wdPasteBitmap=4  
PUBLIC CONST wdPasteDeviceIndependentBitmap=5

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdPasteEnhancedMetafile=9  
PUBLIC CONST wdPasteHyperlink=7  
PUBLIC CONST wdPasteMetafilePicture=3  
PUBLIC CONST wdPasteOLEObject=0  
PUBLIC CONST wdPasteRTF=1  
PUBLIC CONST wdPasteShape=8  
PUBLIC CONST wdPasteText=2  
PUBLIC CONST wdPeru=51  
PUBLIC CONST wdPicas=4  
PUBLIC CONST wdPicturesPath=1  
PUBLIC CONST wdPink=5  
PUBLIC CONST wdPoints=3  
PUBLIC CONST wdPolish=1045  
PUBLIC CONST wdPortuguese=2070  
PUBLIC CONST wdPosition=15  
PUBLIC CONST wdPowerTalk=2  
PUBLIC CONST wdPreviousRecord=-3  
PUBLIC CONST wdPrimaryFooterStory=9  
PUBLIC CONST wdPrimaryHeaderStory=7  
PUBLIC CONST wdPrintAllDocument=0  
PUBLIC CONST wdPrintAllPages=0  
PUBLIC CONST wdPrintAutoTextEntries=4  
PUBLIC CONST wdPrintBodyTextBeforeHeader=19  
PUBLIC CONST wdPrintColBlack=3  
PUBLIC CONST wdPrintComments=2  
PUBLIC CONST wdPrintCurrentPage=2  
PUBLIC CONST wdPrintDocumentContent=0  
PUBLIC CONST wdPrintEnvelope=6  
PUBLIC CONST wdPrintEvenPagesOnly=2  
PUBLIC CONST wdPrintFromTo=3  
PUBLIC CONST wdPrintKeyAssignments=5  
PUBLIC CONST wdPrintOddPagesOnly=1  
PUBLIC CONST wdPrintPreview=4  
PUBLIC CONST wdPrintProperties=1  
PUBLIC CONST wdPrintRangeOfPages=4  
PUBLIC CONST wdPrintSelection=1  
PUBLIC CONST wdPrintStyles=3  
PUBLIC CONST wdPrinterAutomaticSheetFeed=7

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdPrinterDefaultBin=0  
PUBLIC CONST wdPrinterEnvelopeFeed=5  
PUBLIC CONST wdPrinterFormSource=15  
PUBLIC CONST wdPrinterLargeCapacityBin=11  
PUBLIC CONST wdPrinterLargeFormatBin=10  
PUBLIC CONST wdPrinterLowerBin=2  
PUBLIC CONST wdPrinterManualEnvelopeFeed=6  
PUBLIC CONST wdPrinterManualFeed=4  
PUBLIC CONST wdPrinterMiddleBin=3  
PUBLIC CONST wdPrinterOnlyBin=1  
PUBLIC CONST wdPrinterPaperCassette=14  
PUBLIC CONST wdPrinterSmallFormatBin=9  
PUBLIC CONST wdPrinterTractorFeed=8  
PUBLIC CONST wdPrinterUpperBin=1  
PUBLIC CONST wdProductLanguageID=26  
PUBLIC CONST wdProgramPath=9  
PUBLIC CONST wdPromptToSaveChanges=-2  
PUBLIC CONST wdPromptUser=2  
PUBLIC CONST wdProofingToolsPath=12  
PUBLIC CONST wdPropertyAppName=9  
PUBLIC CONST wdPropertyAuthor=3  
PUBLIC CONST wdPropertyBytes=22  
PUBLIC CONST wdPropertyCategory=18  
PUBLIC CONST wdPropertyCharacters=16  
PUBLIC CONST wdPropertyCharsWSpaces=30  
PUBLIC CONST wdPropertyComments=5  
PUBLIC CONST wdPropertyCompany=21  
PUBLIC CONST wdPropertyFormat=19  
PUBLIC CONST wdPropertyHiddenSlides=27  
PUBLIC CONST wdPropertyHyperlinkBase=29  
PUBLIC CONST wdPropertyKeywords=4  
PUBLIC CONST wdPropertyLastAuthor=7  
PUBLIC CONST wdPropertyLines=23  
PUBLIC CONST wdPropertyMMClips=28  
PUBLIC CONST wdPropertyManager=20  
PUBLIC CONST wdPropertyNotes=26  
PUBLIC CONST wdPropertyPages=14  
PUBLIC CONST wdPropertyParas=24

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdPropertyRevision=8  
PUBLIC CONST wdPropertySecurity=17  
PUBLIC CONST wdPropertySlides=25  
PUBLIC CONST wdPropertySubject=2  
PUBLIC CONST wdPropertyTemplate=6  
PUBLIC CONST wdPropertyTimeCreated=11  
PUBLIC CONST wdPropertyTimeLastPrinted=10  
PUBLIC CONST wdPropertyTimeLastSaved=12  
PUBLIC CONST wdPropertyTitle=1  
PUBLIC CONST wdPropertyVBATotalEdit=13  
PUBLIC CONST wdPropertyWords=15  
PUBLIC CONST wdPublisher=0  
PUBLIC CONST wdRed=6  
PUBLIC CONST wdRefTypeBookmark=2  
PUBLIC CONST wdRefTypeEndnote=4  
PUBLIC CONST wdRefTypeFootnote=3  
PUBLIC CONST wdRefTypeHeading=1  
PUBLIC CONST wdRefTypeNumberedItem=0  
PUBLIC CONST wdReferenceOfType=32  
PUBLIC CONST wdRegularText=0  
PUBLIC CONST wdRelativeHorizontalPositionColumn=2  
PUBLIC CONST wdRelativeHorizontalPositionMargin=0  
PUBLIC CONST wdRelativeHorizontalPositionPage=1  
PUBLIC CONST wdRelativeVerticalPositionMargin=0  
PUBLIC CONST wdRelativeVerticalPositionPage=1  
PUBLIC CONST wdRelativeVerticalPositionParagraph=2  
PUBLIC CONST wdRelocateDown=1  
PUBLIC CONST wdRelocateUp=0  
PUBLIC CONST wdReplaceAll=2  
PUBLIC CONST wdReplaceNone=0  
PUBLIC CONST wdReplaceOne=1  
PUBLIC CONST wdResetList=1  
PUBLIC CONST wdRestartContinuous=0  
PUBLIC CONST wdRestartPage=2  
PUBLIC CONST wdRestartSection=1  
PUBLIC CONST wdRevisedLinesMarkLeftBorder=1  
PUBLIC CONST wdRevisedLinesMarkNone=0  
PUBLIC CONST wdRevisedLinesMarkOutsideBorder=3

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdRevisedLinesMarkRightBorder=2  
PUBLIC CONST wdRevisedPropertiesMarkBold=1  
PUBLIC CONST wdRevisedPropertiesMarkDoubleUnderline=4  
PUBLIC CONST wdRevisedPropertiesMarkItalic=2  
PUBLIC CONST wdRevisedPropertiesMarkNone=0  
PUBLIC CONST wdRevisedPropertiesMarkUnderline=3  
PUBLIC CONST wdRevisionConflict=7  
PUBLIC CONST wdRevisionDelete=2  
PUBLIC CONST wdRevisionDisplayField=5  
PUBLIC CONST wdRevisionInsert=1  
PUBLIC CONST wdRevisionMarking=24  
PUBLIC CONST wdRevisionParagraphNumber=4  
PUBLIC CONST wdRevisionProperty=3  
PUBLIC CONST wdRevisionReconcile=6  
PUBLIC CONST wdRevisionReplace=9  
PUBLIC CONST wdRevisionStyle=8  
PUBLIC CONST wdRightClockwise=8  
PUBLIC CONST wdRightLandscape=5  
PUBLIC CONST wdRightPortrait=2  
PUBLIC CONST wdRomanian=1048  
PUBLIC CONST wdRouteComplete=2  
PUBLIC CONST wdRouteInProgress=1  
PUBLIC CONST wdRow=10  
PUBLIC CONST wdRowHeightAtLeast=1  
PUBLIC CONST wdRowHeightAuto=0  
PUBLIC CONST wdRowHeightExactly=2  
PUBLIC CONST wdRussian=1049  
PUBLIC CONST wdSalutationBusiness=2  
PUBLIC CONST wdSalutationFormal=1  
PUBLIC CONST wdSalutationInformal=0  
PUBLIC CONST wdSalutationOther=3  
PUBLIC CONST wdSaveChanges=-1  
PUBLIC CONST wdScreen=7  
PUBLIC CONST wdSection=8  
PUBLIC CONST wdSectionBreakContinuous=3  
PUBLIC CONST wdSectionBreakEvenPage=4  
PUBLIC CONST wdSectionBreakNextPage=2  
PUBLIC CONST wdSectionBreakOddPage=5

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdSectionContinuous=0  
PUBLIC CONST wdSectionEvenPage=3  
PUBLIC CONST wdSectionNewColumn=1  
PUBLIC CONST wdSectionNewPage=2  
PUBLIC CONST wdSectionOddPage=4  
PUBLIC CONST wdSeekCurrentPageFooter=10  
PUBLIC CONST wdSeekCurrentPageHeader=9  
PUBLIC CONST wdSeekEndnotes=8  
PUBLIC CONST wdSeekEvenPagesFooter=6  
PUBLIC CONST wdSeekEvenPagesHeader=3  
PUBLIC CONST wdSeekFirstPageFooter=5  
PUBLIC CONST wdSeekFirstPageHeader=2  
PUBLIC CONST wdSeekFootnotes=7  
PUBLIC CONST wdSeekMainDocument=0  
PUBLIC CONST wdSeekPrimaryFooter=4  
PUBLIC CONST wdSeekPrimaryHeader=1  
PUBLIC CONST wdSelActive=8  
PUBLIC CONST wdSelAtEOL=2  
PUBLIC CONST wdSelOvertyping=4  
PUBLIC CONST wdSelReplace=16  
PUBLIC CONST wdSelStartActive=1  
PUBLIC CONST wdSelectPublisher=2  
PUBLIC CONST wdSelectionBlock=6  
PUBLIC CONST wdSelectionColumn=4  
PUBLIC CONST wdSelectionFrame=3  
PUBLIC CONST wdSelectionIP=1  
PUBLIC CONST wdSelectionInlineShape=7  
PUBLIC CONST wdSelectionMode=20  
PUBLIC CONST wdSelectionNormal=2  
PUBLIC CONST wdSelectionRow=5  
PUBLIC CONST wdSelectionShape=8  
PUBLIC CONST wdSemiBlock=2  
PUBLIC CONST wdSendPublisher=1  
PUBLIC CONST wdSendToEmail=2  
PUBLIC CONST wdSendToFax=3  
PUBLIC CONST wdSendToNewDocument=0  
PUBLIC CONST wdSendToPrinter=1  
PUBLIC CONST wdSentence=3

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdSeparateByCommas=2  
PUBLIC CONST wdSeparateByDefaultListSeparator=3  
PUBLIC CONST wdSeparateByParagraphs=0  
PUBLIC CONST wdSeparateByTabs=1  
PUBLIC CONST wdSeparatorColon=2  
PUBLIC CONST wdSeparatorEmDash=3  
PUBLIC CONST wdSeparatorEnDash=4  
PUBLIC CONST wdSeparatorHyphen=0  
PUBLIC CONST wdSeparatorPeriod=1  
PUBLIC CONST wdSerbianCyrillic=3098  
PUBLIC CONST wdSerbianLatin=2074  
PUBLIC CONST wdSesotho=1072  
PUBLIC CONST wdShowBreaksInFrames=11  
PUBLIC CONST wdSimplifiedChinese=2052  
PUBLIC CONST wdSlovak=1051  
PUBLIC CONST wdSlovenian=1060  
PUBLIC CONST wdSortByLocation=1  
PUBLIC CONST wdSortByName=0  
PUBLIC CONST wdSortFieldAlphanumeric=0  
PUBLIC CONST wdSortFieldDate=2  
PUBLIC CONST wdSortFieldJapanJIS=4  
PUBLIC CONST wdSortFieldKoreaKS=6  
PUBLIC CONST wdSortFieldNumeric=1  
PUBLIC CONST wdSortFieldStroke=5  
PUBLIC CONST wdSortFieldSyllable=3  
PUBLIC CONST wdSortOrderAscending=0  
PUBLIC CONST wdSortOrderDescending=1  
PUBLIC CONST wdSortSeparateByCommas=1  
PUBLIC CONST wdSortSeparateByDefaultTableSeparator=2  
PUBLIC CONST wdSortSeparateByTabs=0  
PUBLIC CONST wdSpacingInWholePoints=18  
PUBLIC CONST wdSpain=34  
PUBLIC CONST wdSpanish=1034  
PUBLIC CONST wdSpanishModernSort=3082  
PUBLIC CONST wdSpelling=0  
PUBLIC CONST wdSpellingCapitalization=2  
PUBLIC CONST wdSpellingComplete=4  
PUBLIC CONST wdSpellingCorrect=0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdSpellingCustom=5  
PUBLIC CONST wdSpellingError=0  
PUBLIC CONST wdSpellingLegal=6  
PUBLIC CONST wdSpellingMedical=7  
PUBLIC CONST wdSpellingNotInDictionary=1  
PUBLIC CONST wdSpellword=0  
PUBLIC CONST wdStartOfRangeColumnNumber=16  
PUBLIC CONST wdStartOfRangeRowNumber=13  
PUBLIC CONST wdStartupPath=8  
PUBLIC CONST wdStatisticCharacters=3  
PUBLIC CONST wdStatisticCharactersWithSpaces=5  
PUBLIC CONST wdStatisticFarEastCharacters=6  
PUBLIC CONST wdStatisticLines=1  
PUBLIC CONST wdStatisticPages=2  
PUBLIC CONST wdStatisticParagraphs=4  
PUBLIC CONST wdStatisticWords=0  
PUBLIC CONST wdStory=6  
PUBLIC CONST wdStyleBlockQuotation=-85  
PUBLIC CONST wdStyleBodyText=-67  
PUBLIC CONST wdStyleBodyText2=-81  
PUBLIC CONST wdStyleBodyText3=-82  
PUBLIC CONST wdStyleBodyTextFirstIndent=-78  
PUBLIC CONST wdStyleBodyTextFirstIndent2=-79  
PUBLIC CONST wdStyleBodyTextIndent=-68  
PUBLIC CONST wdStyleBodyTextIndent2=-83  
PUBLIC CONST wdStyleBodyTextIndent3=-84  
PUBLIC CONST wdStyleCaption=-35  
PUBLIC CONST wdStyleClosing=-64  
PUBLIC CONST wdStyleCommentReference=-40  
PUBLIC CONST wdStyleCommentText=-31  
PUBLIC CONST wdStyleDate=-77  
PUBLIC CONST wdStyleDefaultParagraphFont=-66  
PUBLIC CONST wdStyleEmphasis=-89  
PUBLIC CONST wdStyleEndnoteReference=-43  
PUBLIC CONST wdStyleEndnoteText=-44  
PUBLIC CONST wdStyleEnvelopeAddress=-37  
PUBLIC CONST wdStyleEnvelopeReturn=-38  
PUBLIC CONST wdStyleFooter=-33

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdStyleFootnoteReference=-39  
PUBLIC CONST wdStyleFootnoteText=-30  
PUBLIC CONST wdStyleGalleryPath=15  
PUBLIC CONST wdStyleHeader=-32  
PUBLIC CONST wdStyleHeading1=-2  
PUBLIC CONST wdStyleHeading2=-3  
PUBLIC CONST wdStyleHeading3=-4  
PUBLIC CONST wdStyleHeading4=-5  
PUBLIC CONST wdStyleHeading5=-6  
PUBLIC CONST wdStyleHeading6=-7  
PUBLIC CONST wdStyleHeading7=-8  
PUBLIC CONST wdStyleHeading8=-9  
PUBLIC CONST wdStyleHeading9=-10  
PUBLIC CONST wdStyleHyperlink=-86  
PUBLIC CONST wdStyleHyperlinkFollowed=-87  
PUBLIC CONST wdStyleIndex1=-11  
PUBLIC CONST wdStyleIndex2=-12  
PUBLIC CONST wdStyleIndex3=-13  
PUBLIC CONST wdStyleIndex4=-14  
PUBLIC CONST wdStyleIndex5=-15  
PUBLIC CONST wdStyleIndex6=-16  
PUBLIC CONST wdStyleIndex7=-17  
PUBLIC CONST wdStyleIndex8=-18  
PUBLIC CONST wdStyleIndex9=-19  
PUBLIC CONST wdStyleIndexHeading=-34  
PUBLIC CONST wdStyleLineNumber=-41  
PUBLIC CONST wdStyleList=-48  
PUBLIC CONST wdStyleList2=-51  
PUBLIC CONST wdStyleList3=-52  
PUBLIC CONST wdStyleList4=-53  
PUBLIC CONST wdStyleList5=-54  
PUBLIC CONST wdStyleListBullet=-49  
PUBLIC CONST wdStyleListBullet2=-55  
PUBLIC CONST wdStyleListBullet3=-56  
PUBLIC CONST wdStyleListBullet4=-57  
PUBLIC CONST wdStyleListBullet5=-58  
PUBLIC CONST wdStyleListContinue=-69  
PUBLIC CONST wdStyleListContinue2=-70

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdStyleListContinue3=-71  
PUBLIC CONST wdStyleListContinue4=-72  
PUBLIC CONST wdStyleListContinue5=-73  
PUBLIC CONST wdStyleListNumber=-50  
PUBLIC CONST wdStyleListNumber2=-59  
PUBLIC CONST wdStyleListNumber3=-60  
PUBLIC CONST wdStyleListNumber4=-61  
PUBLIC CONST wdStyleListNumber5=-62  
PUBLIC CONST wdStyleMacroText=-46  
PUBLIC CONST wdStyleMessageHeader=-74  
PUBLIC CONST wdStyleNavPane=-90  
PUBLIC CONST wdStyleNormal=-1  
PUBLIC CONST wdStyleNormalIndent=-29  
PUBLIC CONST wdStyleNoteHeading=-80  
PUBLIC CONST wdStylePageNumber=-42  
PUBLIC CONST wdStylePlainText=-91  
PUBLIC CONST wdStyleSalutation=-76  
PUBLIC CONST wdStyleSignature=-65  
PUBLIC CONST wdStyleStrong=-88  
PUBLIC CONST wdStyleSubtitle=-75  
PUBLIC CONST wdStyleTOAHeading=-47  
PUBLIC CONST wdStyleTOC1=-20  
PUBLIC CONST wdStyleTOC2=-21  
PUBLIC CONST wdStyleTOC3=-22  
PUBLIC CONST wdStyleTOC4=-23  
PUBLIC CONST wdStyleTOC5=-24  
PUBLIC CONST wdStyleTOC6=-25  
PUBLIC CONST wdStyleTOC7=-26  
PUBLIC CONST wdStyleTOC8=-27  
PUBLIC CONST wdStyleTOC9=-28  
PUBLIC CONST wdStyleTableOfAuthorities=-45  
PUBLIC CONST wdStyleTableOfFigures=-36  
PUBLIC CONST wdStyleTitle=-63  
PUBLIC CONST wdStyleTypeCharacter=2  
PUBLIC CONST wdStyleTypeParagraph=1  
PUBLIC CONST wdSubFontBySize=25  
PUBLIC CONST wdSubscriber=1  
PUBLIC CONST wdSubscriberBestFormat=0

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdSubscriberPict=4  
PUBLIC CONST wdSubscriberRTF=1  
PUBLIC CONST wdSubscriberText=2  
PUBLIC CONST wdSummaryModeCreateNew=3  
PUBLIC CONST wdSummaryModeHideAllButSummary=1  
PUBLIC CONST wdSummaryModeHighlight=0  
PUBLIC CONST wdSummaryModeInsert=2  
PUBLIC CONST wdSuppressBottomSpacing=29  
PUBLIC CONST wdSuppressSpBfAfterPgBrk=7  
PUBLIC CONST wdSuppressTopSpacing=8  
PUBLIC CONST wdSuppressTopSpacingMac5=17  
PUBLIC CONST wdSwapBordersFacingPages=12  
PUBLIC CONST wdSweden=46  
PUBLIC CONST wdSwedish=1053  
PUBLIC CONST wdSwissFrench=4108  
PUBLIC CONST wdSwissGerman=2055  
PUBLIC CONST wdSwissItalian=2064  
PUBLIC CONST wdTOAClassic=1  
PUBLIC CONST wdTOADistinctive=2  
PUBLIC CONST wdTOAFormal=3  
PUBLIC CONST wdTOASimple=4  
PUBLIC CONST wdTOATemplate=0  
PUBLIC CONST wdTOCClassic=1  
PUBLIC CONST wdTOCDistinctive=2  
PUBLIC CONST wdTOCFancy=3  
PUBLIC CONST wdTOCFormal=5  
PUBLIC CONST wdTOCModern=4  
PUBLIC CONST wdTOCSimple=6  
PUBLIC CONST wdTOCTemplate=0  
PUBLIC CONST wdTOFCentered=3  
PUBLIC CONST wdTOFClassic=1  
PUBLIC CONST wdTOFDistinctive=2  
PUBLIC CONST wdTOFFormal=4  
PUBLIC CONST wdTOFSimple=5  
PUBLIC CONST wdTOFTemplate=0  
PUBLIC CONST wdTabLeaderDashes=2  
PUBLIC CONST wdTabLeaderDots=1  
PUBLIC CONST wdTabLeaderHeavy=4

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdTabLeaderLines=3  
PUBLIC CONST wdTabLeaderMiddleDot=5  
PUBLIC CONST wdTabLeaderSpaces=0  
PUBLIC CONST wdTable=15  
PUBLIC CONST wdTableFormat3DEffects1=32  
PUBLIC CONST wdTableFormat3DEffects2=33  
PUBLIC CONST wdTableFormat3DEffects3=34  
PUBLIC CONST wdTableFormatApplyAutoFit=16  
PUBLIC CONST wdTableFormatApplyBorders=1  
PUBLIC CONST wdTableFormatApplyColor=8  
PUBLIC CONST wdTableFormatApplyFirstColumn=128  
PUBLIC CONST wdTableFormatApplyFont=4  
PUBLIC CONST wdTableFormatApplyHeadingRows=32  
PUBLIC CONST wdTableFormatApplyLastColumn=256  
PUBLIC CONST wdTableFormatApplyLastRow=64  
PUBLIC CONST wdTableFormatApplyShading=2  
PUBLIC CONST wdTableFormatClassic1=4  
PUBLIC CONST wdTableFormatClassic2=5  
PUBLIC CONST wdTableFormatClassic3=6  
PUBLIC CONST wdTableFormatClassic4=7  
PUBLIC CONST wdTableFormatColorful1=8  
PUBLIC CONST wdTableFormatColorful2=9  
PUBLIC CONST wdTableFormatColorful3=10  
PUBLIC CONST wdTableFormatColumns1=11  
PUBLIC CONST wdTableFormatColumns2=12  
PUBLIC CONST wdTableFormatColumns3=13  
PUBLIC CONST wdTableFormatColumns4=14  
PUBLIC CONST wdTableFormatColumns5=15  
PUBLIC CONST wdTableFormatContemporary=35  
PUBLIC CONST wdTableFormatElegant=36  
PUBLIC CONST wdTableFormatGrid1=16  
PUBLIC CONST wdTableFormatGrid2=17  
PUBLIC CONST wdTableFormatGrid3=18  
PUBLIC CONST wdTableFormatGrid4=19  
PUBLIC CONST wdTableFormatGrid5=20  
PUBLIC CONST wdTableFormatGrid6=21  
PUBLIC CONST wdTableFormatGrid7=22  
PUBLIC CONST wdTableFormatGrid8=23

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdTableFormatList1=24  
PUBLIC CONST wdTableFormatList2=25  
PUBLIC CONST wdTableFormatList3=26  
PUBLIC CONST wdTableFormatList4=27  
PUBLIC CONST wdTableFormatList5=28  
PUBLIC CONST wdTableFormatList6=29  
PUBLIC CONST wdTableFormatList7=30  
PUBLIC CONST wdTableFormatList8=31  
PUBLIC CONST wdTableFormatNone=0  
PUBLIC CONST wdTableFormatProfessional=37  
PUBLIC CONST wdTableFormatSimple1=1  
PUBLIC CONST wdTableFormatSimple2=2  
PUBLIC CONST wdTableFormatSimple3=3  
PUBLIC CONST wdTableFormatSubtle1=38  
PUBLIC CONST wdTableFormatSubtle2=39  
PUBLIC CONST wdTaiwan=886  
PUBLIC CONST wdTeal=10  
PUBLIC CONST wdTempFilePath=13  
PUBLIC CONST wdTextConvertersPath=11  
PUBLIC CONST wdTextFrameStory=5  
PUBLIC CONST wdTextOrientationDownward=3  
PUBLIC CONST wdTextOrientationHorizontal=0  
PUBLIC CONST wdTextOrientationHorizontalRotatedFarEast=4  
PUBLIC CONST wdTextOrientationUpward=2  
PUBLIC CONST wdTextOrientationVerticalFarEast=1  
PUBLIC CONST wdTexture10Percent=100  
PUBLIC CONST wdTexture12Pt5Percent=125  
PUBLIC CONST wdTexture15Percent=150  
PUBLIC CONST wdTexture17Pt5Percent=175  
PUBLIC CONST wdTexture20Percent=200  
PUBLIC CONST wdTexture22Pt5Percent=225  
PUBLIC CONST wdTexture25Percent=250  
PUBLIC CONST wdTexture27Pt5Percent=275  
PUBLIC CONST wdTexture2Pt5Percent=25  
PUBLIC CONST wdTexture30Percent=300  
PUBLIC CONST wdTexture32Pt5Percent=325  
PUBLIC CONST wdTexture35Percent=350  
PUBLIC CONST wdTexture37Pt5Percent=375

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
PUBLIC CONST wdTexture40Percent=400
PUBLIC CONST wdTexture42Pt5Percent=425
PUBLIC CONST wdTexture45Percent=450
PUBLIC CONST wdTexture47Pt5Percent=475
PUBLIC CONST wdTexture50Percent=500
PUBLIC CONST wdTexture52Pt5Percent=525
PUBLIC CONST wdTexture55Percent=550
PUBLIC CONST wdTexture57Pt5Percent=575
PUBLIC CONST wdTexture5Percent=50
PUBLIC CONST wdTexture60Percent=600
PUBLIC CONST wdTexture62Pt5Percent=625
PUBLIC CONST wdTexture65Percent=650
PUBLIC CONST wdTexture67Pt5Percent=675
PUBLIC CONST wdTexture70Percent=700
PUBLIC CONST wdTexture72Pt5Percent=725
PUBLIC CONST wdTexture75Percent=750
PUBLIC CONST wdTexture77Pt5Percent=775
PUBLIC CONST wdTexture7Pt5Percent=75
PUBLIC CONST wdTexture80Percent=800
PUBLIC CONST wdTexture82Pt5Percent=825
PUBLIC CONST wdTexture85Percent=850
PUBLIC CONST wdTexture87Pt5Percent=875
PUBLIC CONST wdTexture90Percent=900
PUBLIC CONST wdTexture92Pt5Percent=925
PUBLIC CONST wdTexture95Percent=950
PUBLIC CONST wdTexture97Pt5Percent=975
PUBLIC CONST wdTextureCross=-11
PUBLIC CONST wdTextureDarkCross=-5
PUBLIC CONST wdTextureDarkDiagonalCross=-6
PUBLIC CONST wdTextureDarkDiagonalDown=-3
PUBLIC CONST wdTextureDarkDiagonalUp=-4
PUBLIC CONST wdTextureDarkHorizontal=-1
PUBLIC CONST wdTextureDarkVertical=-2
PUBLIC CONST wdTextureDiagonalCross=-12
PUBLIC CONST wdTextureDiagonalDown=-9
PUBLIC CONST wdTextureDiagonalUp=-10
PUBLIC CONST wdTextureHorizontal=-7
PUBLIC CONST wdTextureNone=0
```

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdTextureSolid=1000  
PUBLIC CONST wdTextureVertical=-8  
PUBLIC CONST wdThesaurus=2  
PUBLIC CONST wdThousandsSeparator=19  
PUBLIC CONST wdTiled=0  
PUBLIC CONST wdTimeSeparator=24  
PUBLIC CONST wdTitleSentence=4  
PUBLIC CONST wdTitleWord=2  
PUBLIC CONST wdToggle=9999998  
PUBLIC CONST wdToggleCase=5  
PUBLIC CONST wdToolsPath=6  
PUBLIC CONST wdTraditionalChinese=1028  
PUBLIC CONST wdTrailingNone=2  
PUBLIC CONST wdTrailingSpace=1  
PUBLIC CONST wdTrailingTab=0  
PUBLIC CONST wdTransparentMetafiles=10  
PUBLIC CONST wdTruncateFontHeight=24  
PUBLIC CONST wdTsonga=1073  
PUBLIC CONST wdTswana=1074  
PUBLIC CONST wdTurkish=1055  
PUBLIC CONST wdTurquoise=3  
PUBLIC CONST wdTutorialPath=7  
PUBLIC CONST wdTypeDocument=0  
PUBLIC CONST wdTypeTemplate=1  
PUBLIC CONST wdUK=44  
PUBLIC CONST wdUS=1  
PUBLIC CONST wdUkrainian=1058  
PUBLIC CONST wdUndefined=9999999  
PUBLIC CONST wdUnderlineDash=7  
PUBLIC CONST wdUnderlineDotDash=9  
PUBLIC CONST wdUnderlineDotDotDash=10  
PUBLIC CONST wdUnderlineDotted=4  
PUBLIC CONST wdUnderlineDouble=3  
PUBLIC CONST wdUnderlineNone=0  
PUBLIC CONST wdUnderlineSingle=1  
PUBLIC CONST wdUnderlineThick=6  
PUBLIC CONST wdUnderlineWavy=11  
PUBLIC CONST wdUnderlineWords=2

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

PUBLIC CONST wdUpdateSubscriber=6  
PUBLIC CONST wdUpperCase=1  
PUBLIC CONST wdUsePrinterMetrics=26  
PUBLIC CONST wdUserOptionsPath=4  
PUBLIC CONST wdUserTemplatesPath=2  
PUBLIC CONST wdVenda=1075  
PUBLIC CONST wdVenezuela=58  
PUBLIC CONST wdVerb=3  
PUBLIC CONST wdVerticalPositionRelativeToPage=6  
PUBLIC CONST wdVerticalPositionRelativeToTextBoundary=8  
PUBLIC CONST wdViolet=12  
PUBLIC CONST wdWPJustification=31  
PUBLIC CONST wdWPSpaceWidth=30  
PUBLIC CONST wdWW6BorderRules=27  
PUBLIC CONST wdWhite=8  
PUBLIC CONST wdWildcard=1  
PUBLIC CONST wdWindow=11  
PUBLIC CONST wdWindowDocument=0  
PUBLIC CONST wdWindowStateMaximize=1  
PUBLIC CONST wdWindowStateMinimize=2  
PUBLIC CONST wdWindowStateNormal=0  
PUBLIC CONST wdWindowTemplate=1  
PUBLIC CONST wdWithInTable=12  
PUBLIC CONST wdWord=2  
PUBLIC CONST wdWordDocument=0  
PUBLIC CONST wdWorkgroupTemplatesPath=3  
PUBLIC CONST wdWrapAlways=1  
PUBLIC CONST wdWrapAsk=2  
PUBLIC CONST wdWrapBoth=0  
PUBLIC CONST wdWrapLargest=3  
PUBLIC CONST wdWrapLeft=1  
PUBLIC CONST wdWrapNever=0  
PUBLIC CONST wdWrapNone=3  
PUBLIC CONST wdWrapRight=2  
PUBLIC CONST wdWrapSquare=0  
PUBLIC CONST wdWrapThrough=2  
PUBLIC CONST wdWrapTight=1  
PUBLIC CONST wdWrapTopBottom=4

## LA PROGRAMMATION OBJET EN LOTUSSCRIPT

```
PUBLIC CONST wdWrapTrailSpaces=4  
PUBLIC CONST wdXhosa=1076  
PUBLIC CONST wdYellow=7  
PUBLIC CONST wdZoomPercentage=19  
PUBLIC CONST wdZulu=1077
```